


General Disclaimer

One or more of the Following Statements may affect this Document

- This document has been reproduced from the best copy furnished by the organizational source. It is being released in the interest of making available as much information as possible.
- This document may contain data, which exceeds the sheet parameters. It was furnished in this condition by the organizational source and is the best copy available.
- This document may contain tone-on-tone or color graphs, charts and/or pictures, which have been reproduced in black and white.
- This document is paginated as submitted by the original source.
- Portions of this document are not fully legible due to the historical nature of some of the material. However, it is the best reproduction available from the original submission.

63143
UNIVERSITY OF VIRGINIA - CHARLOTTESVILLE



(NASA-CR-140037) ENVIRONMENTAL
APPLICATION OF REMOTE SENSING METHODS TO
COASTAL ZONE LAND USE AND MARINE
RESOURCE MANAGEMENT. APPENDIX (Virginia
Univ.) 140 p HC \$10.00

N74-33842

CSCC 08A

Unclass

G3/13 48071

DEPARTMENT OF
ENVIRONMENTAL SCIENCES

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

Interagency Report USGS - 243

ENVIRONMENTAL APPLICATION OF REMOTE
SENSING METHODS TO COASTAL ZONE LAND
USE AND MARINE RESOURCE MANAGEMENT:
APPENDIX F

September 1972

Prepared by the U.S. Geological Survey (USGS) for the
National Aeronautics and Space Administration (NASA)
under NASA Contract No. W - 13165, Task No. 160-75-01-32-10.
Work performed by the University of Virginia for the
USGS Geographic Applications Program under USGS Contract
No. 14-08-001-12540.

APPENDIX F

USER'S GUIDE FOR
ADVECTION, CONVECTION PROTOTYPE

APPENDIX F

INDEX

<u>Title</u>	<u>Page</u>
MAIN PROGRAM	F-4
SUBROUTINE SCHEME 1	F-5
SUBROUTINE TIME	F-7
SUBROUTINE POLPROF	F-7
SUBROUTINE SETPOL	F-8
SUBROUTINE VELFLD	F-8
SUBROUTINE LITHO	F-9
SUBROUTINE GRAPH	F-12
FORTTRAN LISTING	F-14

SECTION 1

MAIN PROGRAM

1.1 NAME = HYPERB

1.2 CONTROL PARAMETERS TO BE SET IN HYPERB:

- IVO: This is used as a counter to indicate the particular segment the iteration is in; initially set = 1.
- INIT: This function is used as a binary counter to set, non-set the elapsed time and cumulative time counter; initially set = 0.
- KST: Set = 1 (do not change) This initializes the program stepping.
- SEGMAX: Set equal to the number of geometrical segments over which the model is to run. This function controls the number of program steps to be taken.
- DELT: Iteration time internal, Δt .
- NCH: Initially set = 0. Tertiary counter used in elapsed, cumulative time counter.
- NSLT: Initially set = 1. Tertiary counter used in elapsed, cumulative time counter.
- XMESH: The number of grid points in the x-direction.
- YMESH: The number of grid points in the y-direction.
- AI: Initial x-coordinate of the source pollutant. This is written in terms of a decimal such that
 $XMESH * AI = \text{x-coordinate of source pollutant.}$

PRECEDING PAGE BLANK NOT FILMED

BI: Initial y-coordinate of the source pollutant.
NIVO: Control parameter used to select heading print.
Initially set = 2.

1.3 INDIRECT CONTROL PARAMETERS

DELX: Iteration Δx
DELY: Iteration Δy

1.4 MAIN PROGRAM USAGE

The purpose of the main program HYPERB is to serve as the initializing switch. The program controls the stepping and initialization of calculations and heading print out controls. The only control parameters which need to be changed are SEGMAX when the number of segments run is to be changed, DELT for different values of Δt , XMESH for Δx , YMESB for Δy , and AI and BI for the location of the source pollutant. Otherwise, these parameters should not be changed.

SECTION 2

SUBROUTINE SCHEME1

2.1 EXTERNAL FORMAL PARAMETERS

M: number of Δx (grid spacing)
DELX: Δx
DELY: Δy
DELT: Δt
u: u-velocity component
v: v-velocity component
T: data field

XJ: x-coordinate of concentration max.
XK: y-coordinate of concentration max.
XMESH: number of x-direction grid points.
YMESH: number of y-direction grid points.
MM: number of Δy

2.2 EXTERNAL CONTROLS

CUTOFF: Set = .1 This function sets the data field = 0 if T is less than or equal to .1 in order to damp out high frequency oscillations.

MUX: x-coordinate diffusion coefficient
MUY: y-coordinate diffusion coefficient

CUTLIM: Set = .005 so that averaging of the iteration field is accomplished. This is a prefilter prior to final smoothing by CUTOFF.

LIMRUN: Set = 200. This closes the iteration with the max. number of iterations = 200. This is done primarily for economy.

INDEX: Used to control print out of the iterated field for every (iteration) *n* INDEX.

2.3 RUNNING

Only LIMRUN and/or INDEX need be changed. the S/R computes a solution to the heat conduction type problem which includes both advection and diffusion.

SECTION 3

SUBROUTINE TIME

3.1 EXTERNAL FORMAL PARAMETERS

INIT: Binary counter used to set,nonset the elapsed, cumulative time counters.

3.2 PURPOSE

The S/R serves as the elapsed time and cumulative time counter. Elapsed time is reset for each segment once iteration in the particular segment starts. The cumulative counter is initialized but not reset with segment stepping.

SECTION 4

SUBROUTINE POLPROF

4.1 EXTERNAL FORMAL PARAMETERS


Integer number : In call statement this is used to select the particular two dimensional concentration contour type.

Example: The only selection available is a conic projection distribution with the maximum concentration at the concentration center.

T: This is the initial data field.

4.2 PURPOSE

The S/R initially sets the concentration distribution. This S/R is called only at program start.



SECTION 5

SUBROUTINE SETPOL

5.1 EXTERNAL FORMAL PARAMETERS

KK: Segment number

5.2 PURPOSE

The S/R maintains the initial concentration maximum location at program start and the concentration maximum during subsequent segment runs.

SECTION 6

SUBROUTINE VELFLD

6.1 EXTERNAL FORMAL PARAMETERS

Arrays u,v

Array u contains the u-component velocity

Array v contains the v-component velocity

$u(I,J)$, $v(I,J)$ must be dimensioned the same as in the main program.

6.2 PURPOSE

The S/R is used to set the initial velocity component field.

The velocity field can be either read-in in component form for each grid point or approximated in functional form. Presently the program only utilizes the functional approximation mode; inclusion of grid point read-in would be a trivial addition.

SECTION 7

SUBROUTINE LITHO

7.1 EXTERNAL FORMAL PARAMETERS

Integer number: Call number, I, can take on the values 1,3, 4,5. The call controls selection of the proper heading label.

7.2 PURPOSE

The S/R selects the heading label for the different field print-outs. Control integer is set in HYPERB and S/R SCHEME1. These controls are preset and need not be altered.

SECTION 8

SUBROUTINE LITHO3

8.1 EXTERNAL FORMAL PARAMETERS

IND: Selects heading label. Heading Label 1 is used for print-out during iteration. Heading Label 2 is used to label initial print-outs at program start and each segment start.

SECTION 9

SUBROUTINES GAIN, SHADE

S/R GAIN and S/R SHADE are a package used to contour the data matrix in a two-dimensional presentation. In order to initiate contouring S/R GAIN is called according to the following format:

CALL GAIN (A, IFACT, SHDITV, NS, LS)

9.1 EXTERNAL CONTROLS

A: is the data array to be shaded.
IFACT: is an integer used in S/R GAIN.
- used as an exponentiate factor to normalize the data.
SHCITV: is the shade interval.
NS: is the number of columns in array A (data array)
LS: is the number rows in array.

9.2 INTERNAL CONTROLS

Internal to GAIN the ICTL(N) array is used as a control function to set the shading format and as communication with S/R SHADE.

ICTL(1) is the call code.

= 0, normal intra-field call (only RFIELD is used),

ICTL(2) through ICTL(8) and RCTL are ignored.

= 1, beginning-of-field call (only ICTL and RCTL parameters are used), RFIELD ignored.

The values for ICTL(N) and RCTL(N) are set in GAIN. Examples are:

ICTL(3)= 8, ICTL(3) controls the column in which shading starts

For ICTL(3)= 8, shading starts in Column 8 after the margin numbers. Thus if the margin number consists of two digits, shading starts in Column 10.

ICTL(4)= N, where N is the number of lines shaded vertically on the page per row of data from array A.

ICTL(5)= NNS, where NNS is the number of fields or columns
in array A to be shaded.

ICTL(6)= 120/NNS, this gives the field width, ie, if NNS = 40
then ICTL(6) = 3, such that a given value at a grid
point in A(I,J) will be shaded over a width of three
print columns in the shade output.

ICTL(2), output tape number for I/O

ICTL(7), is there interspersed numeric information

= 1, NO

= a, YES

(NOTE: for this model ICTL(7) must = 1)

ICTL(8), edge or fill mode (must = 0)

RCTL(1), cycle point, generally = 0

RCTL(2), shade interval; this is set with the initial call of
GAIN from external routines

RFIELD, one-dimensional vector used to shift data from array
A into SHADE for contouring. This controls allows
only one row of data to be coded for shading at a
time.

The GAIN/SHADE package should be used a "black box".
When using GAIN/SHADE array A(I,J) must be dimen-
sioned equal to the data array size in the calling
routine.

SECTION 10

SUBROUTINE GRAPH

This subroutine is used to graph the variables requested in S/R SCHEME1. It is not necessary to change any internal state-ments in GRAPH to use the routine. All variables changes are made through the formal calling parameters. GRAPH has the capability of graphing up to nine different variables.

S/R GRAPH is called according to the following format:

10.1 EXTERNAL CONTROLS

CALL GRAPH (DATA, NUM, PTS, VAR, LOWER, SCALE, TIME)

where,

DATA, is the array DATA (PTS, VAR); the array DATA (,) is used to store the values to be graphed.

NUM, is the number of points to be graphed. NUM must be less than or equal to PTS

PTS, is the number of values for each variable

VAR, the number of different values to be graphed

LOWER, is an array LOWER (VAR) which sets the minimum value for the given variable. This is used to establish the lower limit for the ordinate value. The lower limit for each variable to be graphed need not be the same.

SCALE, is an array SCALE (VAR) which is used as a scale factor for setting the range of values on the graphing ordinate. The effective ordinate graph width is $SCALE (VAR) * 120$ for each variable. The scale factors need not be the same for each variable.

10.2 EXAMPLE OF USAGE

The following example will illustrate the calling of GRAPH from S/R SCHEMEL.

Call GRAPH (TADD, LIMRUN, LIMRUN,2, BOTTOM, SCALE, 20)

In SCHEMEL TADD is dimensioned as TADD (200,2)

TADD (N,1) contains the maximum value in the data field during iteration N.

TADD (N,2) contains the total amount of dispersant in the data field during iteration N.

LIMRUN = 200, which is the maximum number of iterations to be run by SCHEMEL. Thus the number of values/variable to be graphed is less than or equal to 200, ie, equal to the number of iterations taken.

2, is the number of variables to be graphed.

BOTTOM (N) = 0 for both variables, thus the minimum ordinate value for both = 0.

SCALE (1) = 1/40, thus $SCALE (1) * 120 = \frac{1}{40} * 120 = 3$

The range of ordinate values for variable No. 1 is 0 to 3. Likewise, the range for variable No. 2 is 0 to 120 based on $SCALE (2) = 1$.

TIME = 20, this value is preset and should not be changed.

Figure 1

```

DIMENSION I(1,1,2),C(1,1,1),Y(1,1,1)
EQUIVALENCE (I(1,1,1),I(1,1,2),Y(1,1,1))
COMMON/POL/XCENT,YCENT
COMMON/POLL/LXCENT,LYCEN,T,AI,BI
COMMON/PE/H,DELX,DELY,DELT,XM,XMESH,YMESH,YM,MM
COMMON/FCN/F1
COMMON/IN/IMAX,IISUM,LN
COMMON/CON/INOSUM,TN
COMMON/SEGRO/IVO
COMMON/ROSEG/SEGMAX
COMMON/C/INIT
COMMON/SET/SEN
COMMON/E/MSET
REAL LXCENT,LYCEN
INTEGER XMESH,YMESH
INTEGER SEGMAX
IVO=1
INIT=0
C INITIALIZE - - - SEGMAX = NO. OF MODEL SEGMENTS
NST=1
SEGMAX=3
DEL=0.01

```

C	INIT	22174111	----	NO. OF	SEGMENTS
1	1	1	1	1	1
2	2	2	2	2	2
3	3	3	3	3	3
4	4	4	4	4	4
5	5	5	5	5	5
6	6	6	6	6	6
7	7	7	7	7	7
8	8	8	8	8	8
9	9	9	9	9	9
10	10	10	10	10	10
11	11	11	11	11	11
12	12	12	12	12	12
13	13	13	13	13	13
14	14	14	14	14	14
15	15	15	15	15	15
16	16	16	16	16	16
17	17	17	17	17	17
18	18	18	18	18	18
19	19	19	19	19	19
20	20	20	20	20	20
21	21	21	21	21	21
22	22	22	22	22	22
23	23	23	23	23	23
24	24	24	24	24	24
25	25	25	25	25	25
26	26	26	26	26	26
27	27	27	27	27	27
28	28	28	28	28	28
29	29	29	29	29	29
30	30	30	30	30	30
31	31	31	31	31	31
32	32	32	32	32	32
33	33	33	33	33	33
34	34	34	34	34	34
35	35	35	35	35	35
36	36	36	36	36	36
37	37	37	37	37	37
38	38	38	38	38	38
39	39	39	39	39	39
40	40	40	40	40	40
41	41	41	41	41	41
42	42	42	42	42	42
43	43	43	43	43	43
44	44	44	44	44	44
45	45	45	45	45	45
46	46	46	46	46	46
47	47	47	47	47	47
48	48	48	48	48	48
49	49	49	49	49	49
50	50	50	50	50	50
51	51	51	51	51	51
52	52	52	52	52	52
53	53	53	53	53	53
54	54	54	54	54	54
55	55	55	55	55	55
56	56	56	56	56	56
57	57	57	57	57	57
58	58	58	58	58	58
59	59	59	59	59	59
60	60	60	60	60	60
61	61	61	61	61	61
62	62	62	62	62	62
63	63	63	63	63	63
64	64	64	64	64	64
65	65	65	65	65	65
66	66	66	66	66	66
67	67	67	67	67	67
68	68	68	68	68	68
69	69	69	69	69	69
70	70	70	70	70	70
71	71	71	71	71	71
72	72	72	72	72	72
73	73	73	73	73	73
74	74	74	74	74	74
75					

SET AI,BI = TO THE INITIAL COORDINATES OF THE SOURCE POLLUTANT

CALL LITHO(1.1)
GO 9999 KKK=KST,SEGNAX
KSH=0
KSH=314
NSEI=1
AMESH=41
MEAMESH=1
YHESH=41
KME=YHESH-1
XHEM
YHEM4
DELX=1/YAM
CELY=1/YM
FI=4,*ATAM(1.1)
XCENI=0.
YCENI=0.
LXCENI=0.
LYCENI=0.
AI=1
BI=5
CALL SETPOL (KKK)
IF(KKK.GT.1) GO TO 100
CALL POL=POF (1,1)
100 CONTINUE
NIVO=2
IF(IWO.GT.1) JIVO=1
CALL TIME(INITI)
CALL LITHO3(NIVO)
CALL LITHO(31)
CALL VELFLD (U,V)
150 FORMAT(1X,1,2X,4F3.3)
GO 200 N=1,YHESH
GO 200 N=1,YHESH


```
000672 PRINT I50,K,(U(J,K),J=1,XMESH)
      200 CONTINUE
      000110 CALL TIME(INIT)
      000113 CALL LITHO3(NIVO)
      000114 CALL LITHO(3)
      000115 CALL GAINIU,G,I,,XMESH,YMESH,1)
      000118 CALL TIME(INIT)
      000124 CALL LITHO3(NIVO)
      000126 CALL LITHO(4)
      000130 GO 255 K=I,YMESH
      000132 PRINT I50,K,(V(J,K),J=1,XMESH)
      205 CONTINUE
      000132 CALL TIME(INIT)
      000135 CALL LITHO3(NIVO)
      000138 CALL LITHO(4)
      000141 CALL GAINIV,G,I,,XMESH,YMESH,1)
      000142 CALL TIME(INIT)
      000145 CALL LITHO3(NIVO)
      000147 CALL LITHO(5)
      000174 GO 210 K=I,YMESH
      000175 PRINT I50,K,(T(J,K),T,J=1,XMESH)
      210 CONTINUE
      C---CALL SHADE ROUTINE FOR INITIAL T-FIELD-
      000217 CALL TIME(INIT)
      000220 CALL LITHO3(NIVO)
      000222 CALL LITHO(5)
      000224 CALL GAINITU,T,,XMESH,YMESH,Z)
      000229 INIT=INIT+1
      000230 IF(IVO,GT.,NSET=3)
      000232 CALL SCHEMEL(M,DEL X,DEL Y,DEL Z,U,V,T,T,XCENT,YCENT,XMESH,
      000235 YCENT,MHMM)
      IVO=IVO+1
      000253 NSET=2
      000255 NCH=0
      000256 9999 CONTINUE
      000257 STOP
      000261 END
      000263
```

HYPERO

PROGRAM LENGTH INCLUDING I/O BUFFERS

021500

FUNCTION ASSIGNMENTS

STATEMENT ASSIGNMENTS
170 - 000051 150 - 000304

BLOCK NAMES AND LENGTHS

POL - 000062 POLL - 000004 PF - 000011 FCIN - 000011
LJ - 000003 CUM - 000002 SEGRD - 000001 ROSEC - 000011
D - 000001 SET - 000001 E - 000001

VARIABLE ASSIGNMENTS

AI - 00000202 BI - 00000302 DELT - 00000303 DELX - 00000303
DELY - 00000203 INIT - 00000001 IVO - 00000007 J - 015433
K - 015435 KAK - 015430 KAT - 015427 KXCENT - 00000002
LYCENT - 00000002 M - 00000003 MH - 00000003 NCH - 00000012
MIVO - 015431 NSET - 00000013 PI - 00000004 SEGMAX - 00000018
T - 000003 TT - 000003 TTF - 000004 U - 000004
V - 012206 XCENT - 00000001 XM - 00000403 XMHSH - 00000503
YCENT - 00000001 YM - 00000703 YMHSH - 00000603

START OF CONSTANTS

000255

START OF TEMPORARIES

000317

START OF INDIRECTS

000323

UNUSED COMPILER SPACE

001400

REPRODUCIBILITY OF THE
ORIGINAL PAGE IS POOR

SUBROUTINE SCHEM1(N,DELX,DELY,DELT,U,V,T,TT,TJ,XK,XNESH,YNESH,
1,MM)

```

000021 DIMENSION I(41,41,2),U(41,41),V(41,41)
000021 DIMENSION INX(200),ISUM(200)
000021 DIMENSION IADJ(200,2)
000021 DIMENSION SCAL(1,2),BOTHOM(2)
000021 DIMENSION I(41,41),TT(41,41)
000021 EQUIVALENCE (IADJ(1,1),THAX(1,1),IADJ(1,2),ISUM(1,1))
000021 COTHOM/IS/THAX,ISUM,IN
000021 COTHOM/SCAL/INJUM,IN
000021 COTHOM/SCOND/IVO
000021 COTHOM/NOSEG/SEGNAX
000021 COTHOM/NO/INIT
000021 COTHOM/SET/ICR
000021 COTHOM/LOC/TJ,TK
000021 INTEGER NEM,OLD,DUMP
000021 INTEGER XNESH,YNESH
000021 INTEGER TJ,TK
000021 INTEGER SEGNAX
000021 INTEGER AJ,XX
000021 REAL HUX,HUY
000021 NEM=2
000021 OLD=1
000021 NCH=0
000021 DO 4 J=1,200
000021 TSUM(IJ)=0.
000021 TH=X(IJ)=0.
000021 CONTINUE
000021 MAXIND=0
000021 TJ=0
000021 TK=0
000021 COTOFF=1
000021 GUILIM=405
000021 JMAX=XNESH-1
000021 KMAX=YNESH-1
000021 DO 5 K=1,YNESH
000021 DO 5 J=1,XNESH
000021 TCJ,K,NEM=TCJ,K,OLD
000021 5 CONTINUE
000021 150 FOPRAT(14,12,2X,41F3.1)
000021 LIPRUN=200
000021 INJE=20
000021 AM=3
000021 LN=0
000021 GRIOX=DELT/DELX
000021 GRIDY=DELT/DELY
000021 GIIA=DELX/(2.*DELX)
000021 GRIY=DELT/(2.*DELY)
000021 HUX=.1
000021 HUY=.1
000021 400 CONTINUE
000021 NM=NM+1
000021 LN=LN+1
000021 TN=DELT*LN
000021 DO 10 K=2,NM
000021 DO 9 J=2,TN
000021 APLX=(U(IJ,1,K)+U(IJ,K))/2.

```

REPRODUCIBILITY OF THE
ORIGINAL PAGE IS POOR

```

000126 APL7=(V(J,K,1)+V(J,K,1))/2.
000133 AMX=(U(J,1,K)+U(J,K,1))/2.
000140 ZML=(V(J,K,1)+V(J,K,1))/2.
000145 T(J,K,NEW)=T(J,K,OLD)+GR1X*(APLX*(T(J,1,K,OLD))-AMX*(T(J,1,K,OLD)))
1) -GR1Y*(APLY*(T(J,K,1,OLD))-AMNY*(T(J,K,1,OLD)))
2 *HUX*(T(J,1,K,NEW)+T(J,1,K,NEW)-2.*T(J,K,NEW))
3 *HUY*(T(J,K,1,NEW)+T(J,K,1,NEW)-2.*T(J,K,NEW))
IF(T(J,K,NEW).LE.THAX(LN)) GO TO 8
THAX(LN)=T(J,K,NEW)
1J=J
1K=K
8 CONTINUE
TSU4(LN)=TSU4(LN)+T(J,K,NEW)**2
9 CONTINUE
10 CONTINUE
DO 12 K=1,YNESH
IF(T(J,K,NEW).LT.CUTLIN) T(J,K,NEW)=0.
DO 11 J=1,XNESH
11 CONTINUE
12 CONTINUE
GR1X=GR1DX
GR1Y=GR1DY
20 CONTINUE
IF(MH.EQ.INDEX) 450,500
500 CONTINUE
IF(LN.GT.LINUM) GO TO 250
IF(TJ.GE.JRXY) GO TO 250
DO 701 K=1,YNESH
IF(T(J,K,NEW).GE.CUTOFF) GO TO 440
C
C
000342 701 CONTINUE
000345 401 CONTINUE
C
C NOTE - - - INDICE NOTATION
C NEW (RHS) = N-1
C OLD = N
C NEW (LHS) = N+1
C DUMP = TRANSFER INDEX
C
C CENTERED F. D. IS ALWAYS UNCONDITIONALLY UNSTABLE FOR THE
C DIFFUSION PROBLEM
C
DUMP=NEW
K=OLD
000347 K=OLD
000350 OLD=DUMP
000351 36 CONTINUE
000351 GO TO 400
000352 440 CONTINUE
000352 MAXIND=MAXIND+1
C
C MAXIND KICKS T OUT OF ITERATION WHEN THE FLOW FRONT REACHES THE FAR
C WALL
C
C MAXIND IS .GT.0 WHEN THE FLOW FRONT REACHES THE FAR WALL
C
000354 450 CONTINUE

```

```

000354 TMAX=THAX(LND)
000355 TTSO=TSO(LND)
000356 INIT=INIT+1
000357 CALL TIMEINIT)
000358 CALL LITHO3(1)
000359 PRINT 610
000360 610 FORMAT(2X,' I-FIELD ',//)
000361 DO 620 K=1,YMESH
000362 PRINT 150,K,(T(J,K,NEW),J=1,XMESH)
000363 620 CONTINUE
000364 C--- CALL S/R GAIN---
000365 CALL TIMEINIT)
000366 CALL LITHO3(1)
000367 CALL GAIN(TT,J=1,XMESH,YMESH,2)
000368 NH=2
000369 IF(TMAX-61.0) GO TO 250
000370 GO TO 451
000371 250 CONTINUE
000372 HCH=1
000373 TMAX=THAX(LND)
000374 TTSO=TSO(LND)
000375 CALL TIMEINIT)
000376 CALL LITHO3(1)
000377 PRINT 610
000378 DO 630 K=1,YMESH
000379 PRINT 150,K,(T(J,K,NEW),J=1,XMESH)
000380 630 CONTINUE
000381 C--- CALL S/R GAIN---
000382 BOTTOM(1)=0.
000383 BOTTOM(2)=0.
000384 SCALE(1)=1./J.
000385 SCALE(2)=1.
000386 C---CALL S/R GRAPH---
000387 CALL GRAPH(T400,LIMRUN,LIMRH,2,BOTTOM,SCALE,20)
000388 IF(CHAXING-EQ-SEGMAX) GO TO 9000
000389 C THIS SECTION PICKS UP THE POLLUTANT IN SEGMENT N AND TRANSFERS THE
000390 C POLLUTANT DISTRIBUTION AND CONCENTRATION TO SEGMENT N+1
000391 C
000392 DO 700 J=1,XMESH
000393 DO 700 K=1,YMESH
000394 T(J,K,OLD)=0.
000395 700 CONTINUE
000396 IJ=IJ+1
000397 IJ=XMESH-IJ+1
000398 DO 710 J=1,IJ
000399 DO 705 K=1,YMESH
000400 T(J,K,OLD)=T(IJ,K,NEW)
000401 705 CONTINUE
000402 IJ=IJ+1
000403 710 CONTINUE
000404 IJ=1
000405 IK=IK
000406 9000 CONTINUE
000407 RETURN
000408 END

```

SCHEM1

SUBPROGRAM LENGTH

001602

FUNCTION ASSIGNMENTS

STATEMENT ASSIGNMENTS

3	-	003245	20	-	003310	30	-	003351	150	-	003623
250	-	003447	430	-	003107	401	-	003145	440	-	003352
450	-	003354	530	-	003323	610	-	003332	9000	-	003615

BLOCK HEADS AND LENGTHS

ID	-	003663	CUM	-	000002	SEGNO	-	000001	NOSEG	-	000011
3	-	003661	SET	-	000001	LCC	-	003352			

VARIABLE ASSIGNMENTS

AMNA	-	001576	AMNY	-	001577	APLX	-	001574	APLY	-	001575
BDTDM	-	001547	BDTDM	-	001581	CDTFF	-	001580	DUMP	-	001523
GRJX	-	001570	GRIDY	-	001571	GRAX	-	001572	GRYI	-	001573
ITJ	-	001561	ITJ	-	001563	INDX	-	001566	INIT	-	00000005
J	-	001558	JMAX	-	001562	K	-	001564	KMAX	-	001533
LINQJH	-	001565	LN	-	00000001	HAXINO	-	001557	HM	-	000007
MJA	-	001554	MUY	-	001559	NEH	-	00000006	NEM	-	001531
LN	-	001567	OLD	-	001552	SCALE	-	001553	SEGRAX	-	00000003
T	-	003660	TADU	-	003725	TJ	-	00300007	TK	-	00000007
TMAX	-	003725	TN	-	00000002	TSUM	-	001235	TT	-	000001
TTHAX	-	00000001	TTSUM	-	00000001	TTT	-	000002	XJ	-	000003
XK	-	003004	XHESH	-	000005	YMESH	-	000006			

START OF CONSTANTS

000620

START OF TEMPORARIES

000543

START OF INDIRECTS

000700

UNUSED COMPILER SPACE

030100

000001	SUBROUTINE TIME(INIT)
000002	COMMON/COM/INSUN,IN
000003	COMMON/SET/NSCH
000004	COMMON/E/NSCT
000005	IF(INIT.EQ.0) 10,20
000006	10 CONTINUE
000007	IN=0
000008	TH,OH=0.
000009	GO TO 300
000010	20 CONTINUE
000011	IF(NSCH.EQ.1) GO TO 40
000012	30 CONTINUE
000013	IF(INSCT.GT.1) GO TO 35
000014	INSUN=IN
000015	IT=INSUN
000016	GO TO 300
000017	35 CONTINUE
000018	IF(INSCT.GT.2) GO TO 36
000019	INSUN=INSUN
000020	TH=3
000021	GO TO 300
000022	36 CONTINUE
000023	IT=IT
000024	INSUN=IN+IT
000025	GO TO 300
000026	40 CONTINUE
000027	INSUN=INSUN
000028	IT=INSUN
000029	GO TO 300
000030	300 CONTINUE
000031	RETURN
000032	END

REPRODUCIBILITY OF THE
ORIGINAL PAGE IS POOR

TIME

SUBPROGRAM LENGTH
000046

FUNCTION ASSIGNMENTS

STATEMENT ASSIGNMENTS
10 - 000037 20 - 000011 30 - 000013 35 - 000022
36 - 000030 40 - 000034 300 - 000037

BLOCK NAMES AND LENGTHS

CJY - 000012 SET - 000001 E - 000001

VARIABLE ASSIGNMENTS

RCH - 00000002 NSET - 00000003 TN - 00000101 TNSUM - 00000001
TT - 000045

START OF CONSTANTS

000042

START OF TEMPORARIES

000043

START OF INDIRECTS

000045

UNUSED COMPILER SPACE

000000


```

SUBROUTINE POLPROF (I, J)
COMMON /POL/ XCENT, YCENT
COMMON /PF/ M, DELX, DELY, CELT, XH, XHLSH, YHESH, YH, MH
DIMENSION T(41,41,2)
INCLUDE XHESH, YHESH
C
C S/R POLPROF SETS THE INITIAL TWO-DIMENSIONAL (AREAL) PROFILE
C DISTRIBUTION OF THE SOURCE POLLUTANT
C
C CASE 1 = CONIC PROJECTION DISTRIBUTION
C
000005 GO TO (1,2,3,4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21,22,23,24,25,26,27,28,29,30,31,32,33,34,35,36,37,38,39,40,41,42,43,44,45,46,47,48,49,50,51,52,53,54,55,56,57,58,59,60,61,62,63,64,65,66,67,68,69,70,71,72,73,74,75,76,77,78,79,80,81,82,83,84,85,86,87,88,89,90,91,92,93,94,95,96,97,98,99,100,101,102,103,104,105,106,107,108,109,110,111,112,113,114,115,116,117,118,119,120,121,122,123,124,125,126,127,128,129,130,131,132,133,134,135,136,137,138,139,140,141,142,143,144,145,146,147,148,149,150,151,152,153,154,155,156,157,158,159,160,161,162,163,164,165,166,167,168,169,170,171,172,173,174,175,176,177,178,179,180,181,182,183,184,185,186,187,188,189,190,191,192,193,194,195,196,197,198,199,200,201,202,203,204,205,206,207,208,209,210,211,212,213,214,215,216,217,218,219,220,221,222,223,224,225,226,227,228,229,230,231,232,233,234,235,236,237,238,239,240,241,242,243,244,245,246,247,248,249,250,251,252,253,254,255,256,257,258,259,260,261,262,263,264,265,266,267,268,269,270,271,272,273,274,275,276,277,278,279,280,281,282,283,284,285,286,287,288,289,290,291,292,293,294,295,296,297,298,299,300,301,302,303,304,305,306,307,308,309,310,311,312,313,314,315,316,317,318,319,320,321,322,323,324,325,326,327,328,329,330,331,332,333,334,335,336,337,338,339,340,341,342,343,344,345,346,347,348,349,350,351,352,353,354,355,356,357,358,359,360,361,362,363,364,365,366,367,368,369,370,371,372,373,374,375,376,377,378,379,380,381,382,383,384,385,386,387,388,389,390,391,392,393,394,395,396,397,398,399,400,401,402,403,404,405,406,407,408,409,410,411,412,413,414,415,416,417,418,419,420,421,422,423,424,425,426,427,428,429,430,431,432,433,434,435,436,437,438,439,440,441,442,443,444,445,446,447,448,449,450,451,452,453,454,455,456,457,458,459,460,461,462,463,464,465,466,467,468,469,470,471,472,473,474,475,476,477,478,479,480,481,482,483,484,485,486,487,488,489,490,491,492,493,494,495,496,497,498,499,500,501,502,503,504,505,506,507,508,509,510,511,512,513,514,515,516,517,518,519,520,521,522,523,524,525,526,527,528,529,530,531,532,533,534,535,536,537,538,539,540,541,542,543,544,545,546,547,548,549,550,551,552,553,554,555,556,557,558,559,560,561,562,563,564,565,566,567,568,569,570,571,572,573,574,575,576,577,578,579,580,581,582,583,584,585,586,587,588,589,590,591,592,593,594,595,596,597,598,599,600,601,602,603,604,605,606,607,608,609,610,611,612,613,614,615,616,617,618,619,620,621,622,623,624,625,626,627,628,629,630,631,632,633,634,635,636,637,638,639,640,641,642,643,644,645,646,647,648,649,650,651,652,653,654,655,656,657,658,659,660,661,662,663,664,665,666,667,668,669,670,671,672,673,674,675,676,677,678,679,680,681,682,683,684,685,686,687,688,689,690,691,692,693,694,695,696,697,698,699,700,701,702,703,704,705,706,707,708,709,710,711,712,713,714,715,716,717,718,719,720,721,722,723,724,725,726,727,728,729,730,731,732,733,734,735,736,737,738,739,740,741,742,743,744,745,746,747,748,749,750,751,752,753,754,755,756,757,758,759,760,761,762,763,764,765,766,767,768,769,770,771,772,773,774,775,776,777,778,779,780,781,782,783,784,785,786,787,788,789,790,791,792,793,794,795,796,797,798,799,800,801,802,803,804,805,806,807,808,809,810,811,812,813,814,815,816,817,818,819,820,821,822,823,824,825,826,827,828,829,830,831,832,833,834,835,836,837,838,839,840,841,842,843,844,845,846,847,848,849,850,851,852,853,854,855,856,857,858,859,860,861,862,863,864,865,866,867,868,869,870,871,872,873,874,875,876,877,878,879,880,881,882,883,884,885,886,887,888,889,890,891,892,893,894,895,896,897,898,899,900,901,902,903,904,905,906,907,908,909,910,911,912,913,914,915,916,917,918,919,920,921,922,923,924,925,926,927,928,929,930,931,932,933,934,935,936,937,938,939,940,941,942,943,944,945,946,947,948,949,950,951,952,953,954,955,956,957,958,959,960,961,962,963,964,965,966,967,968,969,970,971,972,973,974,975,976,977,978,979,980,981,982,983,984,985,986,987,988,989,990,991,992,993,994,995,996,997,998,999,1000,1001,1002,1003,1004,1005,1006,1007,1008,1009,1010,1011,1012,1013,1014,1015,1016,1017,1018,1019,1020,1021,1022,1023,1024,1025,1026,1027,1028,1029,1030,1031,1032,1033,1034,1035,1036,1037,1038,1039,1040,1041,1042,1043,1044,1045,1046,1047,1048,1049,1050,1051,1052,1053,1054,1055,1056,1057,1058,1059,1060,1061,1062,1063,1064,1065,1066,1067,1068,1069,1070,1071,1072,1073,1074,1075,1076,1077,1078,1079,1080,1081,1082,1083,1084,1085,1086,1087,1088,1089,1090,1091,1092,1093,1094,1095,1096,1097,1098,1099,1100,1101,1102,1103,1104,1105,1106,1107,1108,1109,1110,1111,1112,1113,1114,1115,1116,1117,1118,1119,1120,1121,1122,1123,1124,1125,1126,1127,1128,1129,1130,1131,1132,1133,1134,1135,1136,1137,1138,1139,1140,1141,1142,1143,1144,1145,1146,1147,1148,1149,1150,1151,1152,1153,1154,1155,1156,1157,1158,1159,1160,1161,1162,1163,1164,1165,1166,1167,1168,1169,1170,1171,1172,1173,1174,1175,1176,1177,1178,1179,1180,1181,1182,1183,1184,1185,1186,1187,1188,1189,1190,1191,1192,1193,1194,1195,1196,1197,1198,1199,1200,1201,1202,1203,1204,1205,1206,1207,1208,1209,1210,1211,1212,1213,1214,1215,1216,1217,1218,1219,1220,1221,1222,1223,1224,1225,1226,1227,1228,1229,1230,1231,1232,1233,1234,1235,1236,1237,1238,1239,1240,1241,1242,1243,1244,1245,1246,1247,1248,1249,1250,1251,1252,1253,1254,1255,1256,1257,1258,1259,1260,1261,1262,1263,1264,1265,1266,1267,1268,1269,1270,1271,1272,1273,1274,1275,1276,1277,1278,1279,1280,1281,1282,1283,1284,1285,1286,1287,1288,1289,1290,1291,1292,1293,1294,1295,1296,1297,1298,1299,1300,1301,1302,1303,1304,1305,1306,1307,1308,1309,1310,1311,1312,1313,1314,1315,1316,1317,1318,1319,1320,1321,1322,1323,1324,1325,1326,1327,1328,1329,1330,1331,1332,1333,1334,1335,1336,1337,1338,1339,1340,1341,1342,1343,1344,1345,1346,1347,1348,1349,1350,1351,1352,1353,1354,1355,1356,1357,1358,1359,1360,1361,1362,1363,1364,1365,1366,1367,1368,1369,1370,1371,1372,1373,1374,1375,1376,1377,1378,1379,1380,1381,1382,1383,1384,1385,1386,1387,1388,1389,1390,1391,1392,1393,1394,1395,1396,1397,1398,1399,1400,1401,1402,1403,1404,1405,1406,1407,1408,1409,1410,1411,1412,1413,1414,1415,1416,1417,1418,1419,1420,1421,1422,1423,1424,1425,1426,1427,1428,1429,1430,1431,1432,1433,1434,1435,1436,1437,1438,1439,1440,1441,1442,1443,1444,1445,1446,1447,1448,1449,1450,1451,1452,1453,1454,1455,1456,1457,1458,1459,1460,1461,1462,1463,1464,1465,1466,1467,1468,1469,1470,1471,1472,1473,1474,1475,1476,1477,1478,1479,1480,1481,1482,1483,1484,1485,1486,1487,1488,1489,1490,1491,1492,1493,1494,1495,1496,1497,1498,1499,1500,1501,1502,1503,1504,1505,1506,1507,1508,1509,1510,1511,1512,1513,1514,1515,1516,1517,1518,1519,1520,1521,1522,1523,1524,1525,1526,1527,1528,1529,1530,1531,1532,1533,1534,1535,1536,1537,1538,1539,1540,1541,1542,1543,1544,1545,1546,1547,1548,1549,1550,1551,1552,1553,1554,1555,1556,1557,1558,1559,1560,1561,1562,1563,1564,1565,1566,1567,1568,1569,1570,1571,1572,1573,1574,1575,1576,1577,1578,1579,1580,1581,1582,1583,1584,1585,1586,1587,1588,1589,1590,1591,1592,1593,1594,1595,1596,1597,1598,1599,1600,1601,1602,1603,1604,1605,1606,1607,1608,1609,1610,1611,1612,1613,1614,1615,1616,1617,1618,1619,1620,1621,1622,1623,1624,1625,1626,1627,1628,1629,1630,1631,1632,1633,1634,1635,1636,1637,1638,1639,1640,1641,1642,1643,1644,1645,1646,1647,1648,1649,1650,1651,1652,1653,1654,1655,1656,1657,1658,1659,1660,1661,1662,1663,1664,1665,1666,1667,1668,1669,1670,1671,1672,1673,1674,1675,1676,1677,1678,1679,1680,1681,1682,1683,1684,1685,1686,1687,1688,1689,1690,1691,1692,1693,1694,1695,1696,1697,1698,1699,1700,1701,1702,1703,1704,1705,1706,1707,1708,1709,1710,1711,1712,1713,1714,1715,1716,1717,1718,1719,1720,1721,1722,1723,1724,1725,1726,1727,1728,1729,1730,1731,1732,1733,1734,1735,1736,1737,1738,1739,1740,1741,1742,1743,1744,1745,1746,1747,1748,1749,1750,1751,1752,1753,1754,1755,1756,1757,1758,1759,1760,1761,1762,1763,1764,1765,1766,1767,1768,1769,1770,1771,1772,1773,1774,1775,1776,1777,1778,1779,1780,1781,1782,1783,1784,1785,1786,1787,1788,1789,1790,1791,1792,1793,1794,1795,1796,1797,1798,1799,1800,1801,1802,1803,1804,1805,1806,1807,1808,1809,1810,1811,1812,1813,1814,1815,1816,1817,1818,1819,1820,1821,1822,1823,1824,1825,1826,1827,1828,1829,1830,1831,1832,1833,1834,1835,1836,1837,1838,1839,1840,1841,1842,1843,1844,1845,1846,1847,1848,1849,1850,1851,1852,1853,1854,1855,1856,1857,1858,1859,1860,1861,1862,1863,1864,1865,1866,1867,1868,1869,1870,1871,1872,1873,1874,1875,1876,1877,1878,1879,1880,1881,1882,1883,1884,1885,1886,1887,1888,1889,1890,1891,1892,1893,1894,1895,1896,1897,1898,1899,1900,1901,1902,1903,1904,1905,1906,1907,1908,1909,1910,1911,1912,1913,1914,1915,1916,1917,1918,1919,1920,1921,1922,1923,1924,1925,1926,1927,1928,1929,1930,1931,1932,1933,1934,1935,1936,1937,1938,1939,1940,1941,1942,1943,1944,1945,1946,1947,1948,1949,1950,1951,1952,1953,1954,1955,1956,1957,1958,1959,1960,1961,1962,1963,1964,1965,1966,1967,1968,1969,1970,1971,1972,1973,1974,1975,1976,1977,1978,1979,1980,1981,1982,1983,1984,1985,1986,1987,1988,1989,1990,1991,1992,1993,1994,1995,1996,1997,1998,1999,2000,2001,2002,2003,2004,2005,2006,2007,2008,2009,2010,2011,2012,2013,2014,2015,2016,2017,2018,2019,2020,2021,2022,2023,2024,2025,2026,2027,2028,2029,2030,2031,2032,2033,2034,2035,2036,2037,2038,2039,2040,2041,2042,2043,2044,2045,2046,2047,2048,2049,2050,2051,2052,2053,2054,2055,2056,2057,2058,2059,2060,2061,2062,2063,2064,2065,2066,2067,2068,2069,2070,2071,2072,2073,2074,2075,2076,2077,2078,2079,2080,2081,2082,2083,2084,2085,2086,2087,2088,2089,2090,2091,2092,2093,2094,2095,2096,2097,2098,2099,2100,2101,2102,2103,2104,2105,2106,2107,2108,2109,2110,2111,2112,2113,2114,2115,2116,2117,2118,2119,2120,2121,2122,2123,2124,2125,2126,2127,2128,2129,2130,2131,2132,2133,2134,2135,2136,2137,2138,2139,2140,2141,2142,2143,2144,2145,2146,2147,2148,2149,2150,2151,2152,2153,2154,2155,2156,2157,2158,2159,2160,2161,2162,2163,2164,2165,2166,2167,2168,2169,2170,2171,2172,2173,2174,2175,2176,2177,2178,2179,2180,2181,2182,2183,2184,2185,2186,2187,2188,2189,2190,2191,2192,2193,2194,2195,2196,2197,2198,2199,2200,2201,2202,2203,2204,2205,2206,2207,2208,2209,2210,2211,2212,2213,2214,2215,2216,2217,2218,2219,2220,2221,2222,2223,2224,2225,2226,2227,2228,2229,2230,2231,2232,2233,2234,2235,2236,2237,2238,2239,2240,2241,2242,2243,2244,2245,2246,2247,2248,2249,2250,2251,2252,2253,2254,2255,2256,2257,2258,2259,2260,2261,2262,2263,2264,2265,2266,2267,2268,2269,2270,2271,2272,2273,2274,2275,2276,2277,2278,2279,2280,2281,2282,2283,2284,2285,2286,2287,2288,2289,2290,2291,2292,2293,2294,2295,2296,2297,2298,2299,2300,2301,2302,2303,2304,2305,2306,2307,2308,2309,2310,2311,2312,2313,2314,2315,2316,2317,2318,2319,2320,2321,2322,2323,2324,2325,2326,2327,2328,2329,2330,2331,2332,2333,2334,2335,2336,2337,2338,2339,2340,2341,2342,2343,2344,2345,2346,2347,2348,2349,2350,2351,2352,2353,2354,2355,2356,2357,2358,2359,2360,2361,2362,2363,2364,2365,2366,2367,2368,2369,2370,2371,2372,2373,2374,2375,2376,2377,2378,2379,2380,2381,2382,2383,2384,2385,2386,2387,2388,2389,2390,2391,2392,2393,2394,2395,2396,2397,2398,2399,2400,2401,2402,2403,2404,2405,2406,2407,2408,2409,2410,2411,2412,2413,2414,2415,2416,2417,2418,2419,2420,2421,2422,2423,2424,2425,2426,2427,2428,2429,2430,2431,2432,2433,2434,2435,2436,2437,2438,2439,2440,2441,2442,2443,2444,2445,2446,2447,2448,2449,2450,2451,2452,2453,2454,2455,2456,2457,2458,2459,2460,2461,2462,2463,2464,2465,2466,2467,2468,2469,2470,2471,2472,2473,2474,2475,2476,2477,2478,2479,2480,2481,2482,2483,2484,2485,2486,2487,2488,2489,2490,2491,2492,2493,2494,2495,2496,2497,2498,2499,2500,2501,2502,2503,2504,2505,2506,2507,2508,2509,2510,2511,2512,2513,2514,2515,2516,2517,2518,2519,2520,2521,2522,2523,2524,2525,2526,2527,2528,2529,2530,2531,2532,2533,2534,2535,2536,2537,2538,2539,2540,2541,2542,2543,2544,2545,2546,2547,2548,2549,2550,2551,2552,2553,2554,2555,2556,2557,2558,2559,2560,2561,2562,2563,2564,2565,2566,2567,2568,2569,2570,2571,2572,2573,2574,2575,2576,2577,2578,2579,2580,2581,2582,2583,2584,2585,2586,2587,2588,2589,2590,2591,2592,2593,2594,2595,2596,2597,2598,2599,2600,2601,2602,2603,2604,2605,2606,2607,2608,2609,2610,2611,2612,2613,2614,2615,2616,2617,2618,2619,2620,2621,2622,2623,2624,2625,2626,2627,2628,2629,2630,2631,2632,2633,2634,2635,2636,2637,2638,2639,2640,2641,2642,2643,2644,2645,2646,2647,2648,2649,2650,2651,2652,2653,2654,2655,2656,2657,2658,2659,2660,2661,2662,2663,2664,2665,26
```

REPRODUCIBILITY OF THE
ORIGINAL PAGE IS POOR

POLPROF

SUBPROGRAM LENGTH
063127

FUNCTION ASSIGNMENTS

STATEMENT	ASSIGNMENTS					
2	000057	100	-	000017	200	-
403	000067	530	-	000070	600	-
1035	000073					

BLOCK NAMES AND LENGTHS

POL - 000004 PF - 000011

VARIABLE ASSIGNMENTS

AN	000122	DELX	-	000001002	DELY	-	000002002	J	-	000123
K	000125	R	- <td>000120</td> <td>R2</td> <td>- <td>000121</td> <td>X</td> <td>- <td>000124</td> </td></td>	000120	R2	- <td>000121</td> <td>X</td> <td>- <td>000124</td> </td>	000121	X	- <td>000124</td>	000124
XCENT	00000551	YRESH	- <td>000005002</td> <td>Y</td> <td>- <td>000005002</td> <td>ICENT</td> <td>- <td>000001001</td> </td></td>	000005002	Y	- <td>000005002</td> <td>ICENT</td> <td>- <td>000001001</td> </td>	000005002	ICENT	- <td>000001001</td>	000001001
YRESH	000006002									

START OF CONSTANTS

000076

START OF TEMPORARIES

000101

START OF INDIRECTS

000115

USED COMPILER SPACE

032200

SUBROUTINE SEPOL (KK)

COMMON/FOL/XCENT,YCENT
REAL LACENT,LYCENT
I=1
IF(KK-ST-1) I=2
GO TO (100,200),I

C STMT 100 - - SETS THE INITIAL SOURCE COORDINATES

C
100 CONTINUE
XCENT=AI
YCENT=BI
GO TO 1000
200 CONTINUE
XCENT=LXCENT
YCENT=LYCENT
1000 CONTINUE
RETURN
END

SETUP

SUBPROGRAM LENGTH
000033

FUNCTION ASSIGNMENTS

STATEMENT ASSIGNMENTS
100 - 000015 200 - 000021 1000 - 000026

BLOCK NAMES AND LENGTHS
POL - 000002 POLL - 000004

VARIABLE ASSIGNMENTS

AI - 00000002 BI - 00000002 I - 000002 LXCENT - 0000000002
LYCENT - 00000002 XCENT - 0000000001 YCENT - 0000000001

START OF CONSTANTS

000007

START OF TEMPORARIES

000030

START OF INDIRECTS

000032

UNUSED COMPILER SPACE

002400

REPRODUCIBILITY OF THE
ORIGINAL PAGE IS POOR

```

SUBROUTINE VELFLD (U,V)
COMMON/PC/ZCENT,YCENT
COMMON/PE/H,DELX,DELY,XM,XNESH,YM,NM
COMMON/FC/IN/PI
INTEGER XNESH,YNESH
C
C S/R VELFLD IS USED TO SET THE INITIAL VELOCITY FIELD
C
000005 DIMENSION U(41,41),V(41,41)
000010 DO 3 J=1,XNESH
000015 DO 2 K=1,YNESH
000020 U(K,J)=PI*X
000025 ARGY=PI*Y
000030 U(K,J)=SIN(ARGY)
000035 V(K,J)=G.
000040 2 CONTINUE
000045 3 CONTINUE
000050 RETURN
000055 END

```

VECFLO

SUBPROGRAM LENGTH
000054

FUNCTION ASSIGNMENTS

STATEMENT ASSIGNMENTS

BLOCK NAMES AND LENGTHS
PUL - 000002 PF - 000011 FCTN - 000001

VARIABLE ASSIGNMENTS

ARGX - 000002 ARGY - 000003 DELX - 00000002 DELY - 000002002
J - 000005 K - 000000 PI - 00000003 X - 0000057
XRESH - 00000002 Y - 000001 YRESH - 00000002

START OF CONSTANTS

000000

START OF TEMPORARIES

000000

START OF INDIRECTS

000000

UNUSED COMPILER SPACE

000000

```

SUBROUTINE LIND(I)
  GO TO (100,200,300,400,500,600,700)
100 CONTINUE
  PRINT 1
  1 FORMAT(1H1,///,20X,*SOLN. OF THE HEAT CONDUCTION EQUATION*,20X,*S
    ITUARY PROGRAM NO. 3*,20X,*WRITTEN BY K. L. ECHTERNACHT*,//20X,*CON
    VECTION AND DIFFUSION OF A SCALAR*,/)
  GO TO 9300
200 CONTINUE
  GO TO 9300
300 CONTINUE
  PRINT 3
  3 FORMAT(1H1,///,20X,*INITIAL U-VELOCITY FIELD*,///)
  GO TO 9300
400 CONTINUE
  PRINT 4
  4 FORMAT(1H1,///,20X,*INITIAL V-VELOCITY FIELD*,///)
  GO TO 9300
500 CONTINUE
  PRINT 5
  5 FORMAT(1H1,///,20X,*INITIAL T-FIELD*,///)
  GO TO 9300
600 CONTINUE
  GO TO 9300
700 CONTINUE
  RETURN
  END

```

LYTRO

SUBPROGRAM LENGTH

000121

FUNCTION ASSIGNMENTS

STATEMENT ASSIGNMENTS

1	-	000054	3	-	000076	4	-	000104	5	-	000112
139	-	000015	250	-	000023	300	-	000024	400	-	000032
501	-	000040	600	-	000046	9300	-	000067			

STACK MARKS AND LENGTHS

VARIABLE ASSIGNMENTS

START OF CONSTANTS

000052

START OF TEMPORARIES

000117

START OF INDIRECTS

000121

UNUSED COMPILER SPACE

932300

REPRODUCIBILITY OF THE
ORIGINAL PAGE IS POOR

```

SUBROUTINE LITHO3(IND)
COMMON/IO/ITRAX,ITSUM,IN
COMMON/COM/INSUM,IN
COMMON/SEGNO/IVO
COMMON/LOC/ITJ,IK
GO TO (10,20),IND
10 CONTINUE
PRINT 600,IN,INSUM,ITRAX,ITSUM,IVO,ITJ,IK
600 FORMAT(1H,9X,'ELAPSED TIME =',F0.3/10X,'CUMULATIVE ELAPSED TIME =',
1F0.3/10X,'MAXIMUM VALUE OF T =',E14.6/10X,'SUM OF T-SQUARED OVER T
2HE REGION =',E14.6/10X,'SEGMENT NO. = ',I3/10X,'COORDINATES OF COM
3C. MAXIMUM - - J = ',I1,2X', K = ',I3,/)
GO TO 30
20 CONTINUE
PRINT 100, TR,INSUM,IVO
100 FORMAT(1H,9X,'ELAPSED TIME =',F0.3/10X,'CUMULATIVE ELAPSED TIME =',
1F0.3/10X,'SEGMENT NO. = ',I3,/)
GO TO 30
30 CONTINUE
RETURN
END

```

LIT403

SUBPROGRAM LENGTH

000124

FUNCTION ASSIGNMENTS

STATEMENT ASSIGNMENTS

10 - 000011 20 - 000035 30 - 000051 100 - 000107
500 - 000056

BLOCK NAMES AND LENGTHS

10 - 000003 CUR - 000002 SEGNO - 000001 LOG - 000002

VARIABLE ASSIGNMENTS

IWO - 00000003 IJ - 00000004 IK - 000001004 TN - 000001002
TMSU4 - 00000002 TTMX - 00000001 TTSM - 000001001

START OF CONSTANTS

000004

START OF TEMPORARIES

000102

START OF INDIRECTS

000124

UNUSED COMPILER SPACE

032300

SUBROUTINE GAIN(A,IFACT,SHDITV,NS,LS,INDI)
 DIMENSION RFIELD(56),ICL(18),RCTL(2)
 COMMON/SHAD/INDEX(2)
 DATA LANK/14 /

C NS = LONGITUDINAL COORDINATE
 C LS = LATERAL COORDINATE

C SHADL CODING DESCRIPTION

C ICTL(1) = CALL CODE = 1
 C ICTL(2) = OUTPUT TAPE NUMBER
 C ICTL(3) = LEFT SHADE MARGIN
 C ICTL(4) = NUMBER OF SHADING LINES
 C ICTL(5) = NUMBER OF FIELDS
 C ICTL(6) = FIELD WIDTH
 C ICTL(7) = 1

C ICTL(8) = CODE OR FILL MODE

C RCTL(1) = CYCLE POINT
 C RCTL(2) = SHADE INTERVAL

C RFIELD = ONE DIMENSIONAL VECTOR WITH NUMERIC INFORMATION TO BE
 C SHADED

C.....CALL SHADE(2,J,0,INDI)

000011

000014

000015

000016

000017

000020

000021

000031

000032

000033

000034

000036

000037

000049

000051

000052

000053

000054

000055

000057

000062

000064

000067

000072

000077

000102

45H00233

INDEX(1)=1710

INDEX(2)=1-10*INDEX(1)

33

REPRODUCIBILITY OF THE
 ORIGINAL PAGE IS POOR

000105 00 600 JJ=1,N
000106 RFIELD(JJ)=A(JJ,I)*TONE IF
000107 000 CONTINUE
000121 CALL SHADE(0,0,RFIELD(I),INDI)
000125 700 CONTINUE
000133 RETURN
000135 END

45MBUJ10

REPRODUCIBILITY OF THE
ORIGINAL PAGE IS POOR

DATA

SUBPROGRAM LENGTH
000253

FUNCTION ASSIGNMENTS

STATEMENT ASSIGNMENTS
IL - 000064 11 - 000031 12 - 000033 13 - 000034

BLOCK NAMES AND LENGTHS
SHAJ - 000002

VARIABLE ASSIGNMENTS

I - 000251 IGL - 000227 IND.X - 00000001 JJ - 000252
K - 000245 LARK - 000241 N - 000243 NK - 000244
MMS - 000242 RGL - 000237 RFIELD - 000153 TEN - 000246
TENEIF - 000250 XFACT - 000247

START OF CONSTANTS

00013

START OF TEMPORARIES

000155

START OF INDIRECTS

000159

UNUSCO COMPILER SPACE

032600

LINE	TEXT
000007	SUBROUTINE SHADE(IGTL,RGTL,RVAL,INQ1)
000008	*ALIN(129),BLIN(129),CLIN(129)
000009	DIMENSION DTBL(20)
000010	DIMENSION CURIGL(11)
000011	COMMON/SHADE/INDEX(2)
000012	EQUIVALENCE (CLIN,CLIN),(CLANK,CLANK)
000013	DATA DTBL / IN1,IN1,IN2,IN2,IN3,IN3,IN4,IN4,IN5,IN5,IN6,IN6,IN7,IN7,IN8,IN8,IN9,IN9,IN10,IN10,IN11,IN11,IN12,IN12,IN13,IN13,IN14,IN14,IN15,IN15,IN16,IN16,IN17,IN17,IN18,IN18,IN19,IN19,IN20,IN20,IN21,IN21,IN22,IN22,IN23,IN23,IN24,IN24,IN25,IN25,IN26,IN26,IN27,IN27,IN28,IN28,IN29,IN29,IN30,IN30,IN31,IN31,IN32,IN32,IN33,IN33,IN34,IN34,IN35,IN35,IN36,IN36,IN37,IN37,IN38,IN38,IN39,IN39,IN40,IN40,IN41,IN41,IN42,IN42,IN43,IN43,IN44,IN44,IN45,IN45,IN46,IN46,IN47,IN47,IN48,IN48,IN49,IN49,IN50,IN50,IN51,IN51,IN52,IN52,IN53,IN53,IN54,IN54,IN55,IN55,IN56,IN56,IN57,IN57,IN58,IN58,IN59,IN59,IN60,IN60,IN61,IN61,IN62,IN62,IN63,IN63,IN64,IN64,IN65,IN65,IN66,IN66,IN67,IN67,IN68,IN68,IN69,IN69,IN70,IN70,IN71,IN71,IN72,IN72,IN73,IN73,IN74,IN74,IN75,IN75,IN76,IN76,IN77,IN77,IN78,IN78,IN79,IN79,IN80,IN80,IN81,IN81,IN82,IN82,IN83,IN83,IN84,IN84,IN85,IN85,IN86,IN86,IN87,IN87,IN88,IN88,IN89,IN89,IN90,IN90,IN91,IN91,IN92,IN92,IN93,IN93,IN94,IN94,IN95,IN95,IN96,IN96,IN97,IN97,IN98,IN98,IN99,IN99,IN100,IN100,IN101,IN101,IN102,IN102,IN103,IN103,IN104,IN104,IN105,IN105,IN106,IN106,IN107,IN107,IN108,IN108,IN109,IN109,IN110,IN110,IN111,IN111,IN112,IN112,IN113,IN113,IN114,IN114,IN115,IN115,IN116,IN116,IN117,IN117,IN118,IN118,IN119,IN119,IN120,IN120,IN121,IN121,IN122,IN122,IN123,IN123,IN124,IN124,IN125,IN125,IN126,IN126,IN127,IN127,IN128,IN128,IN129,IN129,IN130,IN130,IN131,IN131,IN132,IN132,IN133,IN133,IN134,IN134,IN135,IN135,IN136,IN136,IN137,IN137,IN138,IN138,IN139,IN139,IN140,IN140,IN141,IN141,IN142,IN142,IN143,IN143,IN144,IN144,IN145,IN145,IN146,IN146,IN147,IN147,IN148,IN148,IN149,IN149,IN150,IN150,IN151,IN151,IN152,IN152,IN153,IN153,IN154,IN154,IN155,IN155,IN156,IN156,IN157,IN157,IN158,IN158,IN159,IN159,IN160,IN160,IN161,IN161,IN162,IN162,IN163,IN163,IN164,IN164,IN165,IN165,IN166,IN166,IN167,IN167,IN168,IN168,IN169,IN169,IN170,IN170,IN171,IN171,IN172,IN172,IN173,IN173,IN174,IN174,IN175,IN175,IN176,IN176,IN177,IN177,IN178,IN178,IN179,IN179,IN180,IN180,IN181,IN181,IN182,IN182,IN183,IN183,IN184,IN184,IN185,IN185,IN186,IN186,IN187,IN187,IN188,IN188,IN189,IN189,IN190,IN190,IN191,IN191,IN192,IN192,IN193,IN193,IN194,IN194,IN195,IN195,IN196,IN196,IN197,IN197,IN198,IN198,IN199,IN199,IN200,IN200,IN201,IN201,IN202,IN202,IN203,IN203,IN204,IN204,IN205,IN205,IN206,IN206,IN207,IN207,IN208,IN208,IN209,IN209,IN210,IN210,IN211,IN211,IN212,IN212,IN213,IN213,IN214,IN214,IN215,IN215,IN216,IN216,IN217,IN217,IN218,IN218,IN219,IN219,IN220,IN220,IN221,IN221,IN222,IN222,IN223,IN223,IN224,IN224,IN225,IN225,IN226,IN226,IN227,IN227,IN228,IN228,IN229,IN229,IN230,IN230,IN231,IN231,IN232,IN232,IN233,IN233,IN234,IN234,IN235,IN235,IN236,IN236,IN237,IN237,IN238,IN238,IN239,IN239,IN240,IN240,IN241,IN241,IN242,IN242,IN243,IN243,IN244,IN244,IN245,IN245,IN246,IN246,IN247,IN247,IN248,IN248,IN249,IN249,IN250,IN250,IN251,IN251,IN252,IN252,IN253,IN253,IN254,IN254,IN255,IN255,IN256,IN256,IN257,IN257,IN258,IN258,IN259,IN259,IN260,IN260,IN261,IN261,IN262,IN262,IN263,IN263,IN264,IN264,IN265,IN265,IN266,IN266,IN267,IN267,IN268,IN268,IN269,IN269,IN270,IN270,IN271,IN271,IN272,IN272,IN273,IN273,IN274,IN274,IN275,IN275,IN276,IN276,IN277,IN277,IN278,IN278,IN279,IN279,IN280,IN280,IN281,IN281,IN282,IN282,IN283,IN283,IN284,IN284,IN285,IN285,IN286,IN286,IN287,IN287,IN288,IN288,IN289,IN289,IN290,IN290,IN291,IN291,IN292,IN292,IN293,IN293,IN294,IN294,IN295,IN295,IN296,IN296,IN297,IN297,IN298,IN298,IN299,IN299,IN300,IN300,IN301,IN301,IN302,IN302,IN303,IN303,IN304,IN304,IN305,IN305,IN306,IN306,IN307,IN307,IN308,IN308,IN309,IN309,IN310,IN310,IN311,IN311,IN312,IN312,IN313,IN313,IN314,IN314,IN315,IN315,IN316,IN316,IN317,IN317,IN318,IN318,IN319,IN319,IN320,IN320,IN321,IN321,IN322,IN322,IN323,IN323,IN324,IN324,IN325,IN325,IN326,IN326,IN327,IN327,IN328,IN328,IN329,IN329,IN330,IN330,IN331,IN331,IN332,IN332,IN333,IN333,IN334,IN334,IN335,IN335,IN336,IN336,IN337,IN337,IN338,IN338,IN339,IN339,IN340,IN340,IN341,IN341,IN342,IN342,IN343,IN343,IN344,IN344,IN345,IN345,IN346,IN346,IN347,IN347,IN348,IN348,IN349,IN349,IN350,IN350,IN351,IN351,IN352,IN352,IN353,IN353,IN354,IN354,IN355,IN355,IN356,IN356,IN357,IN357,IN358,IN358,IN359,IN359,IN360,IN360,IN361,IN361,IN362,IN362,IN363,IN363,IN364,IN364,IN365,IN365,IN366,IN366,IN367,IN367,IN368,IN368,IN369,IN369,IN370,IN370,IN371,IN371,IN372,IN372,IN373,IN373,IN374,IN374,IN375,IN375,IN376,IN376,IN377,IN377,IN378,IN378,IN379,IN379,IN380,IN380,IN381,IN381,IN382,IN382,IN383,IN383,IN384,IN384,IN385,IN385,IN386,IN386,IN387,IN387,IN388,IN388,IN389,IN389,IN390,IN390,IN391,IN391,IN392,IN392,IN393,IN393,IN394,IN394,IN395,IN395,IN396,IN396,IN397,IN397,IN398,IN398,IN399,IN399,IN400,IN400,IN401,IN401,IN402,IN402,IN403,IN40

```

000044 IF (KSM-ED.1) ALIN(I)=BLANK
000050 IF (I4-IF+J005,3004,3005
000052 3004 CONTINUE
000053 KSM=0
000054 K=K+1
000055 K4=K+1
000056 IF (BVAL(K)*BVAL(K4)*AVAL(K)*AVAL(K4)*ED-J.) KSM=1
000057 1450
000058 3005 1451+1
000059 FUSIM
000060 3009 HLX(I)=( BVAL(K)*(F-FD) + BVAL(K4)*FD ) / FW
000061 IF (KSM-ED.1) ALIN(I4)=BLANK
000062
000063 C
000064 LINE1=LINE1
000065 GO TO (3051,3010), LINE1
000066 3040 CONTINUE
000067 LINE1=1
000068 1400P=1400P
000069 GO TO (3021,3023), 1400P
000070 3021 GO 3029 1400, NR
000071 3022 IF (I4-IF+J005,3004,3005) ALIN(I)=BLIN(I)
000072 3029 CONTINUE
000073 C
000074 3051 GO 3059 1=1, NSLX
000075 VUEL
000076 VUL=VUL+VULS-13
000077 C---(LINE-NSLX)-10 SUPPRESS MARGIN NUMBERING IF VERT. DENS. GT 1 LINE
000078 IF (LINE-NSLX) GO TO 3051
000079 J=2*INDEX(I)-1
000080 IF (J-LT-1) J=16
000081 CLIN(3)=DTBL(J)
000082 J=2*INDEX(2)-1
000083 IF (J-LT-1) J=15
000084 CLIN(4)=DTBL(J)
000085 C---CLIN(3),CLIN(4)-R04 N05--USE DTBL(J) FOR ROW N05.
000086 C
000087 3041 GO 3049 1400, NR
000088 IF (CLIN(1)-EDLAN(1)) GO TO 3046
000089 VALV=1 ALIN(I)=C00 + BLIN(I)*V0 + 7V015 - CP
000090 TBC=ARCCVALV/SIN(I*LEN)
000091 IF (INDI-ED-1) 5000,5001
000092 5001 CONTINUE
000093 IF (TBC) 3046,3048,3046
000094 3046 11=PRC
000095 3048 11=PRC
000096 117.6C:3.2N07.7Y:LT-6J 4000,4001
000097 4000 CLIN(1)=DTBL(3)
000098 GO TO 3049
000099 4001 CONTINUE
000100 IF (IT-GE-6) 4002,4003
000101 4002 CLIN(1)=DTBL(4)
000102 GO TO 3049
000103 4003 CONTINUE
000104 IF (IT-GE-1.1-ANJ.17-LT-3) 4004,4005
000105 4004 CLIN(1)=DTBL(2)
000106 GO TO 3049
000107 4005 CONTINUE
000108 IF (TBC-GE-1.1-AND-TBC:LT-1.3J) 4006,4007
000109 4006 CLIN(1)=DTBL(1)

```

REPRODUCIBILITY OF THE
ORIGINAL PAGE IS POOR

000361	GO TO 3049
000362	4007 CONTINUE
000363	3045 CLIN(1)=BLANK
000364	GO TO 6000
000365	5000 CONTINUE
000366	IF(TBLC.LI.-.6.AND.TBLC.LE.-1.0) 5010,5011
000367	5010 CLIN(1)=CURTBL(1)
000368	GO TO 6000
000369	5011 CONTINUE
000370	IF(TBLC.LI.-.6.AND.TBLC.LE.-.8) 5015,5016
000371	5015 CLIN(1)=CURTBL(2)
000372	GO TO 6000
000373	5016 CONTINUE
000374	IF(TBLC.LI.-.4.AND.TBLC.LE.-.6) 5020,5021
000375	5020 CLIN(1)=CURTBL(3)
000376	GO TO 6000
000377	5021 CONTINUE
000378	IF(TBLC.LI.-.2.AND.TBLC.LE.-.4) 5025,5026
000379	5025 CLIN(1)=CURTBL(4)
000380	GO TO 6000
000381	5026 CONTINUE
000382	IF(TBLC.LI.-.0.AND.TBLC.LE.-.2) 5030,5031
000383	5030 CLIN(1)=CURTBL(5)
000384	GO TO 6000
000385	5031 CONTINUE
000386	IF(TBLC.LI.-.0.1) 5035,5036
000387	5035 CLIN(1)=CURTBL(6)
000388	GO TO 6000
000389	5036 CONTINUE
000390	IF(TBLC.LI.-.0.AND.TBLC.LE.-.2) 5040,5041
000391	5040 CLIN(1)=CURTBL(7)
000392	GO TO 6000
000393	5041 CONTINUE
000394	IF(TBLC.LI.-.2.AND.TBLC.LE.-.4) 5045,5046
000395	5045 CLIN(1)=CURTBL(8)
000396	GO TO 6000
000397	5046 CONTINUE
000398	IF(TBLC.LI.-.4.AND.TBLC.LE.-.6) 5050,5051
000399	5050 CLIN(1)=CURTBL(9)
000400	GO TO 6000
000401	5051 CONTINUE
000402	IF(TBLC.LI.-.6.AND.TBLC.LE.-.8) 5055,5056
000403	5055 CLIN(1)=CURTBL(10)
000404	GO TO 6000
000405	5056 CONTINUE
000406	IF(TBLC.LI.-.8.AND.TBLC.LE.-.1.0) 5060,5061
000407	5060 CLIN(1)=CURTBL(11)
000408	GO TO 6000
000409	5061 CONTINUE
000410	6000 CONTINUE
000411	3049 CONTINUE
000412	CLIN(1)=BLANK
000413	C
000414	PRINT 3033, CLIN
000415	3059 CONTINUE
000416	C
000417	NSLX=NSL
000418	3020 DO 3060 I=1,44


```

000511 3660 4VAL(1)=0VAL(1)
000515 RETURN
C
C .....
000519 1000 CONTINUE
000523 NIP=ICIL(2)
000527 LM=ICIL(3)
000531 CMA=LM+1
000535 N3L=ICIL(4)
000539 NF=ICIL(5)
000543 IF=ICIL(6)
000547 FWE=IFM
000551 NRELM=INF-1-IFM
000555 IF(4R-LL)1006,1006,1005
000559 1005 MR=LL
000563 1006 CONTINUE
C
000567 CP=ICIL(1)
000571 SINI=RSIL(2)
C
000575 1011 60 1019 I=1, LL
C
000579 1019 CLIM(1)=BLANK
000583 1023 V3IVS=REL
000587 INUMP=1
000591 KSL=XI
000595 1050 LIME1=2
000599 RETURN
C
000603 2000 CONTINUE
000607 LLEN=24.0
000611 DO 2029 I=2,2J12
000615 2029 0VAL(1)=BLANK
000619 LL=129
C
000623 3699 FORMAT(129A1)
000627 RETURN
000631 END

```

SHAPE									
SUBPROGRAM LENGTH									
312106									
FUNCTION ASSIGNMENTS									
STATEMENT ASSIGNMENTS									
1010	-	000515	1005	-	000535	1006	-	000537	1011 - 010542
1114	-	000544	1023	-	000550	1024	-	000554	2010 - 010556
2029	-	000551	3000	-	000612	3001	-	000610	3012 - 010616
3113	-	000622	3004	-	000622	3005	-	000625	3010 - 010619
3220	-	000587	3021	-	000623	3022	-	000633	3011 - 010612
3345	-	000586	3048	-	000622	3049	-	000620	3051 - 010616
3553	-	000586	3053	-	000610	4004	-	000623	4001 - 010623
4110	-	000586	4003	-	000623	4004	-	000623	4005 - 010626
4009	-	000587	4007	-	000622	5000	-	000625	5001 - 010624
5010	-	000577	5011	-	000622	5015	-	000634	5016 - 010617
5020	-	000581	5021	-	000635	5025	-	000634	5026 - 010631
5030	-	000582	5031	-	000635	5035	-	000634	5036 - 010634
5040	-	000584	5041	-	000637	5045	-	000637	5046 - 010623
5050	-	000584	5051	-	000637	5055	-	000637	5056 - 010623
5060	-	000584	5061	-	000637	5065	-	000637	5066 - 010623
STATEMENT LENGTHS									
SHAPE - 000622									
VARIABLE ASSIGNMENTS									
ALIN	-	000630	AVAL	-	000632	BLANK	-	000631	BLIN - 010617
CLIN	-	000630	CO	-	000632	CLBL	-	000631	CLBL - 010617
CT3	-	000631	CTBL	-	000632	FD	-	000631	FM - 010617
I	-	000632	ICT	-	000632	IFH	-	000631	INDLA - 010617
INJMP	-	000632	IT	-	000632	IM	-	000631	J - 010617
K	-	000632	KA	-	000632	KS	-	000631	L - 010617
LARC	-	000631	LIN	-	000630	LINE1	-	000631	LL - 010617
L1	-	000631	LMA	-	000630	MA	-	000631	LL - 010617
NEL	-	000632	NELX	-	000632	NIP	-	000631	NF - 010617
TBL	-	000632	TLEN	-	000630	VALV	-	000631	SINT - 010617
VALS	-	000632		-			-		VO - 010617
START OF CONSTANTS									
000571									
START OF TEMPORARIES									
000612									
START OF INDIRECTS									
000621									
UNUSED COMPILER SPACE									
027600									


```

000333 130 IF(LINE(IN)*EQ,ILANK) GO TO 140
000334 IF(LINE(IN)*EQ,IMURIZ) GO TO 140
000335 IF(LINE(IN)*EQ,IVERT) GO TO 140
000336 LINE(IN)=EQUAL
000337 GO TO 150
000338 GO TO 150
000339 LINE(IN)=EQUAL
000340 GO TO 150
000341 140 LINE(IN)=EQUAL
000342 150 CONTINUE
000343
000344 C PRINT OUT THE LINE ACCORDING TO THE CORRECT FORMAT*****
000345 IF(LINE(CT,C) GO TO 160
000346 PRINT 915J,1,LINE(K),K=1,122)
000347 GO TO 200
000348 160 PAR=PAR+1
000349 PRINT 910J,KAN,LINE(K),K=1,122)
000350 200 CONTINUE
000351 C END THE GRAPHING *****
000352
000353 C MAKE UP THE LAST LINE -----
000354 JJ 250 K=1,122
000355 LINE(K)=10K12
000356 LINE(1)=10K1
000357 LINE(121)=VERT
000358 LINE(121)=VERT
000359 LINE(121)=VERT
000360 LINE(121)=VERT
000361 LINE(121)=VERT
000362 PRINT 900J,(LINE(K),K=1,122)
000363 PUT 01 END UP INFO
000364 PRINT 90J,1,NJ,VAR
000365 RETURN
000366
000367 C PRINTER FORMATS*****
000368
000369 915J FORMAT(' THE NUMBER OF VARIABLES PASSED TO SUBROUTINE GRAPH WAS NUGRAPH143
000370 915J1 BETWEEN 1 AND 9.')
000371 300J FORMAT('X=GRAPH OF 13 VARIABLES WITH EVERY 15 LINES MARKED/5X
000372 300J1 VARIABLE*7X=LOCAL LIMIT*5X,CALL FACTOR*3X*SYMBOL*')
000373 900J FORMAT('X15 15X10.3,5X10.3,10X11)
000374 900J2 FORMAT('X= EXCEEDING LIMITS RESULTS IN *X. IN FIRST OR LAST COLUMN:
000375 900J1/7- DUPLICATION OF POINTS IS INDICATED BY *...//')
000376 900J3 FORMAT(' THE FOLLOWING ARE THE VALUES OF THE VERTICAL REFERENCE
000377 900J1X FOR EACH VARIABLE*//)
000378 900J5 FORMAT('X1,74X10.2,2X10X10.2),5X10.2)
000379 900J6 FORMAT('X1X. *1221*')
000380 900J7 FORMAT('16- POINTS OF 14V VARIABLES GRAPHED')
000381 9150 FORMAT('X1X. *1221*')
000382 9180 FORMAT('X1X. *1221*')
000383 9181 FORMAT('X11)
000384
000385 C END
000386

```

REPRODUCIBILITY OF THE
ORIGINAL PAGE IS POOR

GRAPH

SUBPROGRAM LENGTH
001187

FUNCTION ASSIGNMENTS

STATEMENT ASSIGNMENTS									
5	-	000677	50	-	000222	60	-	000291	100 - 000291
101	-	001064	135	-	000271	106	-	000273	110 - 000277
121	-	000226	130	-	000543	140	-	000344	150 - 000347
174	-	000594	180	-	000377	200	-	000417	250 - 000426
333	-	000533	9000	-	000345	9001	-	000582	9002 - 000587
9003	-	000504	9005	-	000616	9006	-	000523	9009 - 000626
9100	-	000634	9100	-	000640	9101	-	000644	

BLOCK NAMES AND LENGTHS

VARIABLE ASSIGNMENTS

AIN	-	001155	CODE	-	000680	I	-	001103	IBLANK	-	001073
IFLAG	-	001077	IFLAG	-	001104	INORIZ	-	001075	IN	-	001136
INVERT	-	001076	INVERT	-	001074	J	-	001100	K	-	001182
RAN	-	000701	RAN	-	000671	SAH	-	001104	SCL	-	000672
TIME	-	000000									

START OF CONSTANTS

000474

START OF TEMPORARIES

000643

START OF INDIRECTS

000654

UNUSED COMPILER SPACE

000233

SOLN. OF THE HEAT CONDUCTION EQUATION
ESTUARY PROGRAM NO. 3
WRITTEN BY K. L. ECHTERNACHT

CONVECTION AND DIFFUSION OF A SCALAR

REPRODUCIBILITY OF THE
ORIGINAL PAGE IS POOR

ELAPSED TIME = 0.000
CUMULATIVE ELAPSED TIME = 0.000
SEGMENT NO. = 1

INITIAL U-VELOCITY FIELD

48

[illegible]

[illegible]

2007-08-15 15:27:59

[illegible]

ELAPSED TIME = 3.003
CUMULATIVE ELAPSED TIME = 6.000
SEGMENT NO. = 1

INITIAL V-VELOCITY FIELD

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14
- 15
- 16
- 17
- 18
- 19
- 20
- 21
- 22
- 23
- 24
- 25
- 26
- 27
- 28
- 29
- 30
- 31
- 32
- 33
- 34
- 35
- 36
- 37
- 38
- 39
- 40
- 41

REPRODUCIBILITY OF THE
ORIGINAL PAGE IS POOR

ELAPSED TIME = 0.000
 CUMULATIVE ELAPSED TIME = 0.000
 SEQUENCE NO. 1

CONFIDENTIAL

[illegible]

ELAPSED TIME = 3.333
CUMULATIVE ELAPSED TIME = 6.000
SECRET NO. = 1

INITIAL T-FIELD

REPRODUCIBILITY OF THE
ORIGINAL PAGE IS POOR

52

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41

```

ELAPSED TIME = .250
CURRENT TIME ELAPSED TIME = .200
MAXIMUM VALUE OF Y = 3.51737E+01
NUMBER OF POINTS SAMPLED OVER THE REGION = 3.94126E+01
SEGMENT NO. = 1
COORDINATES OF CONS. MAXIMUM - - J = 15 , K = 21

```

07314-1

53

[illegible]

ELAPSED TIME = .201
CUMULATIVE ELAPSED TIME = .400
MAXIMUM VALUE OF T = 8.161737E-01
SUM OF T-SQUARED OVER THE REGION = 3.943226E+01
SEGMENT NO. = 1
COORDINATES OF CONC. MAXIMUM - - J = 15 , K = 21

REPRODUCIBILITY OF THE
ORIGINAL PAGE IS POOR

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41

SECRET NO. = 1
COORDINATES DE COMC. MAXIMUM - - I = 24 - K = 24

ప

1000

CLAP, LD TIME = .400
 CUMULATIVE ELAPSED TIME = .400
 MAXIMUM VALUE OF T = 5.827193E-01
 SUM OF T-SQUARED OVER THE REGION = 4.536340E+01
 SEGMENT NO. = 1
 COORDINATES OF CONC. MAXIMUM -- J = 24 , K = 21


1	
2	
3	
4	
5	
6	
7	
8	
9	
10	
11	
12	
13	
14	
15	
16	
17	
18	
19	
20	
21	
22	
23	
24	
25	
26	
27	
28	
29	
30	
31	
32	
33	
34	
35	
36	
37	
38	
39	
40	
41	

29-00000

67-153-1

[illegible]

ELAPSED TIME = .533
CUMULATIVE ELAPSED TIME = .536
MAXIMUM VALUE OF T = 0.1023121-01
SUM OF T-SQUARED OVER THE REGION = 4.950435E+01
SEGMENT NO. = 1
COORDINATES OF CONC. MAXIMUM - - J = 30 , K = 21



11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60
61
62
63
64
65
66
67
68
69
70
71
72
73
74
75
76
77
78
79
80
81
82
83
84
85
86
87
88
89
90
91
92
93
94
95
96
97
98
99
100
101
102
103
104
105
106
107
108
109
110
111
112
113
114
115
116
117
118
119
120
121
122
123
124
125
126
127
128
129
130
131
132
133
134
135
136
137
138
139
140
141
142
143
144
145
146
147
148
149
150
151
152
153
154
155
156
157
158
159
160
161
162
163
164
165
166
167
168
169
170
171
172
173
174
175
176
177
178
179
180
181
182
183
184
185
186
187
188
189
190
191
192
193
194
195
196
197
198
199
200
201
202
203
204
205
206
207
208
209
210
211
212
213
214
215
216
217
218
219
220
221
222
223
224
225
226
227
228
229
230
231
232
233
234
235
236
237
238
239
240
241
242
243
244
245
246
247
248
249
250
251
252
253
254
255
256
257
258
259
260
261
262
263
264
265
266
267
268
269
270
271
272
273
274
275
276
277
278
279
280
281
282
283
284
285
286
287
288
289
290
291
292
293
294
295
296
297
298
299
300
301
302
303
304
305
306
307
308
309
310
311
312
313
314
315
316
317
318
319
320
321
322
323
324
325
326
327
328
329
330
331
332
333
334
335
336
337
338
339
340
341
342
343
344
345
346
347
348
349
350
351
352
353
354
355
356
357
358
359
360
361
362
363
364
365
366
367
368
369
370
371
372
373
374
375
376
377
378
379
380
381
382
383
384
385
386
387
388
389
390
391
392
393
394
395
396
397
398
399
400
401
402
403
404
405
406
407
408
409
410
411
412
413
414
415
416
417
418
419
420
421
422
423
424
425
426
427
428
429
430
431
432
433
434
435
436
437
438
439
440
441
442
443
444
445
446
447
448
449
450
451
452
453
454
455
456
457
458
459
460
461
462
463
464
465
466
467
468
469
470
471
472
473
474
475
476
477
478
479
480
481
482
483
484
485
486
487
488
489
490
491
492
493
494
495
496
497
498
499
500
501
502
503
504
505
506
507
508
509
510
511
512
513
514
515
516
517
518
519
520
521
522
523
524
525
526
527
528
529
530
531
532
533
534
535
536
537
538
539
540
541
542
543
544
545
546
547
548
549
550
551
552
553
554
555
556
557
558
559
560
561
562
563
564
565
566
567
568
569
570
571
572
573
574
575
576
577
578
579
580
581
582
583
584
585
586
587
588
589
590
591
592
593
594
595
596
597
598
599
600
601
602
603
604
605
606
607
608
609
610
611
612
613
614
615
616
617
618
619
620
621
622
623
624
625
626
627
628
629
630
631
632
633
634
635
636
637
638
639
640
641
642
643
644
645
646
647
648
649
650
651
652
653
654
655
656
657
658
659
660
661
662
663
664
665
666
667
668
669
670
671
672
673
674
675
676
677
678
679
680
681
682
683
684
685
686
687
688
689
690
691
692
693
694
695
696
697
698
699
700
701
702
703
704
705
706
707
708
709
710
711
712
713
714
715
716
717
718
719
720
721
722
723
724
725
726
727
728
729
730
731
732
733
734
735
736
737
738
739
740
741
742
743
744
745
746
747
748
749
750
751
752
753
754
755
756
757
758
759
760
761
762
763
764
765
766
767
768
769
770
771
772
773
774
775
776
777
778
779
780
781
782
783
784
785
786
787
788
789
790
791
792
793
794
795
796
797
798
799
800
801
802
803
804
805
806
807
808
809
810
811
812
813
814
815
816
817
818
819
820
821
822
823
824
825
826
827
828
829
830
831
832
833
834
835
836
837
838
839
840
841
842
843
844
845
846
847

[illegible]

REPRODUCIBILITY OF THE
ORIGINAL PAGE IS POOR

GRAPH OF 2 VARIABLES WITH EVERY 20 LINES MARKED
VARIABLE 1 0. 2 0.0
LOWER LIMIT 2.50E-02 1.00E+00
SCALE FACTOR SYMBOL

EXCEEDING LIMITS RESULTS IN X. IN FIRST OR LAST COLUMN.
DUPLICATION OF POINTS IS INDICATED BY *.

THE FOLLOWING ARE THE VALUES OF THE VERTICAL REFERENCE LINES FOR EACH VARIABLE.

	0.	5.00E-01	1.00E+00	1.50E+00	2.00E+00	2.50E+00	3.00E+00
1	1	1	1	1	1	1	1
2	1	1	1	1	1	1	1
3	1	1	1	1	1	1	1
4	1	1	1	1	1	1	1
5	1	1	1	1	1	1	1
6	1	1	1	1	1	1	1
7	1	1	1	1	1	1	1
8	1	1	1	1	1	1	1
9	1	1	1	1	1	1	1
10	1	1	1	1	1	1	1
11	1	1	1	1	1	1	1
12	1	1	1	1	1	1	1
13	1	1	1	1	1	1	1
14	1	1	1	1	1	1	1
15	1	1	1	1	1	1	1
16	1	1	1	1	1	1	1
17	1	1	1	1	1	1	1
18	1	1	1	1	1	1	1
19	1	1	1	1	1	1	1
20	1	1	1	1	1	1	1
21	1	1	1	1	1	1	1
22	1	1	1	1	1	1	1
23	1	1	1	1	1	1	1
24	1	1	1	1	1	1	1
25	1	1	1	1	1	1	1
26	1	1	1	1	1	1	1
27	1	1	1	1	1	1	1
28	1	1	1	1	1	1	1
29	1	1	1	1	1	1	1
30	1	1	1	1	1	1	1
31	1	1	1	1	1	1	1
32	1	1	1	1	1	1	1
33	1	1	1	1	1	1	1
34	1	1	1	1	1	1	1
35	1	1	1	1	1	1	1
36	1	1	1	1	1	1	1
37	1	1	1	1	1	1	1
38	1	1	1	1	1	1	1
39	1	1	1	1	1	1	1
40	1	1	1	1	1	1	1
41	1	1	1	1	1	1	1
42	1	1	1	1	1	1	1
43	1	1	1	1	1	1	1
44	1	1	1	1	1	1	1
45	1	1	1	1	1	1	1
46	1	1	1	1	1	1	1

SECRET NO. = 2
COPIES OF CONFIDENTIALITY - 13, 2 = 24

[illegible]

INITIAL QUALITY FIELD

[illegible][illegible]

1
 2
 3
 4
 5
 6
 7
 8
 9
 10
 11
 12
 13
 14
 15
 16
 17
 18
 19
 20
 21
 22
 23
 24
 25
 26
 27
 28
 29
 30
 31
 32
 33
 34
 35
 36
 37
 38
 39
 40
 41
 42
 43
 44
 45
 46
 47
 48
 49
 50
 51
 52
 53
 54
 55
 56
 57
 58
 59
 60
 61
 62
 63
 64
 65
 66
 67
 68
 69
 70
 71
 72
 73
 74
 75
 76
 77
 78
 79
 80
 81
 82
 83
 84
 85
 86
 87
 88
 89
 90
 91
 92
 93
 94
 95
 96
 97
 98
 99
 100
 101
 102
 103
 104
 105
 106
 107
 108
 109
 110
 111
 112
 113
 114
 115
 116
 117
 118
 119
 120
 121
 122
 123
 124
 125
 126
 127
 128
 129
 130
 131
 132
 133
 134
 135
 136
 137
 138
 139
 140
 141
 142
 143
 144
 145
 146
 147
 148
 149
 150
 151
 152
 153
 154
 155
 156
 157
 158
 159
 160
 161
 162
 163
 164
 165
 166
 167
 168
 169
 170
 171
 172
 173
 174
 175
 176
 177
 178
 179
 180
 181
 182
 183
 184
 185
 186
 187
 188
 189
 190
 191
 192
 193
 194
 195
 196
 197
 198
 199
 200
 201
 202
 203
 204
 205
 206
 207
 208
 209
 210
 211
 212
 213
 214
 215
 216
 217
 218
 219
 220
 221
 222
 223
 224
 225
 226
 227
 228
 229
 230
 231
 232
 233
 234
 235
 236
 237
 238
 239
 240
 241
 242
 243
 244
 245
 246
 247
 248
 249
 250
 251
 252
 253
 254
 255
 256
 257
 258
 259
 260
 261
 262
 263
 264
 265
 266
 267
 268
 269
 270
 271
 272
 273
 274
 275
 276
 277
 278
 279
 280
 281
 282
 283
 284
 285
 286
 287
 288
 289
 290
 291
 292
 293
 294
 295
 296
 297
 298
 299
 300
 301
 302
 303
 304
 305
 306
 307
 308
 309
 310
 311
 312
 313
 314
 315
 316
 317
 318
 319
 320
 321
 322
 323
 324
 325
 326
 327
 328
 329
 330
 331
 332
 333
 334
 335
 336
 337
 338
 339
 340
 341
 342
 343
 344
 345
 346
 347
 348
 349
 350
 351
 352
 353
 354
 355
 356
 357
 358
 359
 360
 361
 362
 363
 364
 365
 366
 367
 368
 369
 370
 371
 372
 373
 374
 375
 376
 377
 378
 379
 380
 381
 382
 383
 384
 385
 386
 387
 388
 389
 390
 391
 392
 393
 394
 395
 396
 397
 398
 399
 400
 401
 402
 403
 404
 405
 406
 407
 408
 409
 410
 411
 412
 413
 414
 415
 416
 417
 418
 419
 420
 421
 422
 423
 424
 425
 426
 427
 428
 429
 430
 431
 432
 433
 434
 435
 436
 437
 438
 439
 440
 441
 442
 443
 444
 445
 446
 447
 448
 449
 450
 451
 452
 453
 454
 455
 456
 457
 458
 459
 460
 461
 462
 463
 464
 465
 466
 467
 468
 469
 470
 471
 472
 473
 474
 475
 476
 477
 478
 479
 480
 481
 482
 483
 484
 485
 486
 487
 488
 489
 490
 491
 492
 493
 494
 495
 496
 497
 498
 499
 500
 501
 502
 503
 504
 505
 506
 507
 508
 509
 510
 511
 512
 513
 514
 515
 516
 517
 518
 519
 520
 521
 522
 523
 524
 525

COORDINATES OF CONC. MAXIMUM - - J = 1, K = 21

11

[illegible]

ELAPSED TIME = .530
 CUMULATIVE ELAPSED TIME = .530
 MAXIMUM VALUE OF Y = 0.162312E-01
 SUM OF Y-SQUARES OVER THE REGION = 4.950435E+01
 SEGMENT NO. = 2
 COORDINATES OF CONC. MAXIMUM - J = 1, K = 21

INITIAL V-VELOCITY FIELD

1
 2
 3
 4
 5
 6
 7
 8
 9
 10
 11
 12
 13
 14
 15
 16
 17
 18
 19
 20
 21
 22
 23
 24
 25
 26
 27
 28
 29
 30
 31
 32
 33
 34
 35
 36
 37
 38
 39
 40
 41

REPRODUCIBILITY OF THE
 ORIGINAL PAGE IS POOR

SAMPLED TIME = .531
SUPPLYING ELAPSED TIME = .530
MAXIMUM VALUE OF T = 0.102312E-01
SUM OF T-SQUARED OVER THE REGION =
SEGMENT NO. = 2
COORDINATES OF CURVE. MAXIMUM - - J

UNITAL-FIELD

[illegible]

ELAPSED TIME = .054
 COMPUTATION ELAPSED TIME = .050
 MAXIMUM VALUE OF T = 5.102312E-01
 SUM OF T-SQUARED OVER THE REGION = 4.950435E+01
 SEGMENT NO. = 2
 COORDINATES OF COML. MAXIMUM - - J = 1 , K = 21

INITIAL T-FIELD

1	
2	
3	
4	
5	
6	
7	
8	
9	
10	
11	
12	
13	
14	
15	
16	
17	
18	
19	
20	
21	
22	
23	
24	
25	
26	
27	
28	
29	
30	
31	
32	
33	
34	
35	
36	
37	
38	
39	
40	
41	

37

Index

1	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80	81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99	100		
2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80	81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99	100
3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80	81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99	100	
4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80	81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99	100		
5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80	81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99	100			
6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80	81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99	100				
7	8																																																																																																	

ELAPSED TIME = .20J
 CONDUCTIVE ELAPSED TIME = .730
 MAXIMUM VALUE OF Y = 6.15186E-01
 SUM OF T-SQUARED OVER THE REGION = 3.025956E+01
 SEGMENT NO. = 2
 COORDINATES OF CONC. MAXIMUM - - J = 2 , K = 21

1	
2	
3	
4	
5	
6	
7	
8	
9	
10	
11	
12	
13	
14	
15	
16	
17	
18	
19	
20	
21	
22	
23	
24	
25	
26	
27	
28	
29	
30	
31	
32	
33	
34	
35	
36	
37	
38	
39	
40	
41	

ELAPSED TIME = .40J
COMBUSTIVE FLAPED ICH = .110
MAXIMUM VALUE OF T = 3.15555E-01
SUM OF T-SQUARED OVER THE REGION =
SEGMENT NO. = 2
COORDINATES OF COMB. MAXIMUM = - . J

FD-302a (Rev. 11-29-60)

[illegible]

REPRODUCIBILITY OF THE
ORIGINAL PAGE IS POOR

LAP-500 TIME = .530
CUMULATIVE ELAPSED TIME = .530
MAXIMUM VALUE OF Y = 5.113559E-01
SUM OF Y-SQUARED OVER THE REGION = 5.012687E+01
SEGMENT NO. = 2
COORDINATES OF CONC. MAXIMUM - - J = 2 K = 21

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41

T-61215

71

ELAPSED TIME = .973
 CUMULATIVE ELAPSED TIME = 1.100
 MAXIMUM VALUE OF Y = 5.11875E-01
 SUM OF I-SQUARES OVER THE REGION = 6.095229E+01
 SEGMENT NO. = 2
 COORDINATES OF CONC. MAXIMUM -- J = 2 , K = 21

1	
2	
3	
4	
5	
6	
7	
8	
9	
10	
11	
12	
13	
14	
15	
16	
17	
18	
19	
20	
21	
22	
23	
24	
25	
26	
27	
28	
29	
30	
31	
32	
33	
34	
35	
36	
37	
38	
39	
40	
41	

73

02-1-1

[illegible]

GRAPH OF 2 VARIABLES WITH EVERY 20 LINES MARKED

VARIABLE 1 0. 0. 2.500E-06 1.000E+00

EXCEEDING LIMITS RESULTS IN .X. IN FIRST OR LAST COLUMN.
DUPLICATION OF POINTS IS INDICATED BY .Z..

THE FOLLOWING ARE THE VALUES OF THE VERTICAL REFERENCE LINES FOR EACH VARIABLE.

	5.00E-01	1.00E+00	1.50E+00	2.00E+00	4.50E+00
0.	2.00E+01	4.00E+01	6.00E+01	8.00E+01	1.00E+02
1.	1.	1.	1.	1.	1.
2.	1.	1.	1.	1.	1.
3.	1.	1.	1.	1.	1.
4.	1.	1.	1.	1.	1.
5.	1.	1.	1.	1.	1.
6.	1.	1.	1.	1.	1.
7.	1.	1.	1.	1.	1.
8.	1.	1.	1.	1.	1.
9.	1.	1.	1.	1.	1.
10.	1.	1.	1.	1.	1.
11.	1.	1.	1.	1.	1.
12.	1.	1.	1.	1.	1.
13.	1.	1.	1.	1.	1.
14.	1.	1.	1.	1.	1.
15.	1.	1.	1.	1.	1.
16.	1.	1.	1.	1.	1.
17.	1.	1.	1.	1.	1.
18.	1.	1.	1.	1.	1.
19.	1.	1.	1.	1.	1.
20.	1.	1.	1.	1.	1.
21.	1.	1.	1.	1.	1.
22.	1.	1.	1.	1.	1.
23.	1.	1.	1.	1.	1.
24.	1.	1.	1.	1.	1.
25.	1.	1.	1.	1.	1.
26.	1.	1.	1.	1.	1.
27.	1.	1.	1.	1.	1.
28.	1.	1.	1.	1.	1.
29.	1.	1.	1.	1.	1.
30.	1.	1.	1.	1.	1.
31.	1.	1.	1.	1.	1.
32.	1.	1.	1.	1.	1.
33.	1.	1.	1.	1.	1.
34.	1.	1.	1.	1.	1.
35.	1.	1.	1.	1.	1.
36.	1.	1.	1.	1.	1.
37.	1.	1.	1.	1.	1.
38.	1.	1.	1.	1.	1.
39.	1.	1.	1.	1.	1.
40.	1.	1.	1.	1.	1.
41.	1.	1.	1.	1.	1.
42.	1.	1.	1.	1.	1.
43.	1.	1.	1.	1.	1.
44.	1.	1.	1.	1.	1.
45.	1.	1.	1.	1.	1.
46.	1.	1.	1.	1.	1.

```

elapsed time = 0.61
cumulative elapsed time = 0.970
maximum value of Y = 0.10725231
sum of squares over the region =
segment no. = 3
coordinates of conc. maximum = - 3

```

U-VALLEY FIELD

[illegible]

IN-114 U-VOLGITY FIELD

76

1	
2	
3	
4	
5	
6	
7	
8	
9	
10	
11	
12	
13	
14	
15	
16	
17	
18	
19	
20	
21	
22	
23	
24	
25	
26	
27	
28	
29	
30	
31	
32	
33	
34	
35	
36	
37	
38	
39	
40	
41	

77

ELAPSED TIME = .570
 CALCULATED ELAPSED TIME = .570
 MAXIMUM VALUE OF T = 6.113725C-01
 SUM OF T-SQUARED OVER THE REGION = 6.035229E+01
 SEGMENT NO. = 3
 COORDINATES OF CONC. MAXIMUM - - J = 1, K = 21

INITIAL V-VELOCITY FIELD

1	
2	
3	
4	
5	
6	
7	
8	
9	
10	
11	
12	
13	
14	
15	
16	
17	
18	
19	
20	
21	
22	
23	
24	
25	
26	
27	
28	
29	
30	
31	
32	
33	
34	
35	
36	
37	
38	
39	
40	
41	

CLAPAGE TIME = .573
 COMPUTATIVE CLAPAGE TIME = .570
 MAXIMUM VALUE OF T = 6.115725E-01
 SPC OF I-ADHESION OVER THE REGION = 6.605229E+01
 SEGMENT NO. = 3
 COORDINATES OF COMC. MAXIMUM - - J = 1 , K = 21

INITIAL I-FIELD

1	
2	
3	
4	
5	
6	
7	
8	
9	
10	
11	
12	
13	
14	
15	
16	
17	
18	
19	
20	
21	
22	
23	
24	
25	
26	
27	
28	
29	
30	
31	
32	
33	
34	
35	
36	
37	
38	
39	
40	
41	

ELAPSED TIME = .843
 CUMULATIVE ELAPSED TIME = .010
 MAXIMUM VALUE OF T = 6.076735E-01
 SUM OF T-SQUARED OVER THE REGION = 6.721012E+01
 SEGMENT NO. = 3
 COORDINATES OF COND. MAXIMUM - - J = 2 , K = 21

1	
2	
3	
4	
5	
6	
7	
8	
9	
10	
11	
12	
13	
14	
15	
16	
17	
18	
19	
20	
21	
22	
23	
24	
25	
26	
27	
28	
29	
30	
31	
32	
33	
34	
35	
36	
37	
38	
39	
40	
41	

```

SAMPLED LINE = .040
CUMULATIVE ELAPSED TIME = .630
RAILOC VALUE OF I = 0.77075E+01
COUNT OF I-RAILOC OVER THE KLOCUM = 6.72101E+01
SEGMENT NO. = 2
COORDINATES OF COND. MAXIMUM -- J = 2, K = 21

```

REF ID:

[illegible]

GRAPH OF 2 VARIABLES WITH EVERY 20 LINES MARKED
 VARIABLE 1 0. LOWER LIMIT 2.000E+00 SCALE FACTOR 1.000E+00 SYMBOL +
 2 0. 1.000E+00

EACHING LIMITS RESULTS IN .4. IN FIRST OR LAST COLUMN.
 DUPLICATION OF POINTS IS INDICATED BY ...

THE FOLLOWING ARE THE VALUES OF THE VERTICAL REFERENCE LINES FOR EACH VARIABLE.

	0.	5.00E+01	1.00E+02	1.50E+02	2.00E+02	2.50E+02	3.00E+02
1	1	1	1	1	1	1	1
2	1	1	1	1	1	1	1
3	1	1	1	1	1	1	1
4	1	1	1	1	1	1	1
5	1	1	1	1	1	1	1
6	1	1	1	1	1	1	1
7	1	1	1	1	1	1	1
8	1	1	1	1	1	1	1
9	1	1	1	1	1	1	1
10	1	1	1	1	1	1	1
11	1	1	1	1	1	1	1
12	1	1	1	1	1	1	1
13	1	1	1	1	1	1	1
14	1	1	1	1	1	1	1
15	1	1	1	1	1	1	1
16	1	1	1	1	1	1	1
17	1	1	1	1	1	1	1
18	1	1	1	1	1	1	1
19	1	1	1	1	1	1	1
20	1	1	1	1	1	1	1
21	1	1	1	1	1	1	1
22	1	1	1	1	1	1	1
23	1	1	1	1	1	1	1
24	1	1	1	1	1	1	1
25	1	1	1	1	1	1	1
26	1	1	1	1	1	1	1
27	1	1	1	1	1	1	1
28	1	1	1	1	1	1	1
29	1	1	1	1	1	1	1
30	1	1	1	1	1	1	1
31	1	1	1	1	1	1	1
32	1	1	1	1	1	1	1
33	1	1	1	1	1	1	1
34	1	1	1	1	1	1	1
35	1	1	1	1	1	1	1
36	1	1	1	1	1	1	1
37	1	1	1	1	1	1	1
38	1	1	1	1	1	1	1
39	1	1	1	1	1	1	1
40	1	1	1	1	1	1	1
41	1	1	1	1	1	1	1
42	1	1	1	1	1	1	1
43	1	1	1	1	1	1	1
44	1	1	1	1	1	1	1
45	1	1	1	1	1	1	1
46	1	1	1	1	1	1	1

REPRODUCIBILITY OF THE
 ORIGINAL PAGE IS POOR

[illegible]

